

SMART CATALOG

G.S.D
GROUP



Q2 | 2024
REV 10 - OCTOBER

NDAA
Compliant




TABLE OF CONTENTS

THE G.S.D ADVANTAGE	3	SPECIALITY ANALOG CAMERAS	24
THE ADVANTAGES OF AI	4	DVRS	25
SMART HOME INTEGRATION	5	HD ANALOG ACCESSORIES	26
POE DUAL-CAMERA BRACKET	6	X SERIES KITS	27
X SERIES CAMERAS	7	IP KITS	28
POE PVM MONITOR	8	ANALOG KITS	29
MANAGED SWITCH	9	WIRELESS PRODUCTS	30
TOTAL VIEW CAMERA	10	NETWORK ACCESSORIES	31
OUR NEW 30W SPEAKERS	11	MOUNTING ACCESSORIES	32
SMART GUARDIAN MOBILE APP	12	SWITCHES	33
VMS PRO	13	SPEAKERS	34
VMS ONVIF COMPATIBILITY	14	POWER SUPPLIES	35
FIXED LENS NETWORK CAMERAS	15	PVM	36
MOTORIZED LENS NETWORK CAMERAS	17	NEW PRODUCTS	37
SPECIALITY IP NETWORK CAMERAS	19	ACCESSORY COMPATIBILITY	38
NVRS	21	MODEL CHART	39
FIXED LENS ANALOG CAMERAS	22		
MOTORIZED ANALOG CAMERAS	23		

SECURE YOUR WORLD: DISCOVER THE G.S.D ADVANTAGE



ARTIFICIAL INTELLIGENCE

We take pride in providing a diverse suite of cutting-edge AI detection solutions, encompassing over 14 distinct types, each meticulously developed to deliver a remarkable accuracy rate of 92%.



WARRANTY

Our products come with up to 3 years of warranty assurance, demonstrating our confidence in the durability and performance of our solutions. In the rare event of issues, our team of experts is ready to deliver prompt assistance.



TEAM OF EXPERTS

We understand the integrator's journey. Our team of dedicated professionals have a strong security background, years of experience and are committed to providing tailored support, from selecting the ideal security solution to expert installation guidance.




PROJECT ASSISTANCE

Our experts are ready to collaborate with you, guiding you through the customization of floor plans and optimal device placement. Elevate your security measures with confidence, ensuring comprehensive coverage and maximum effectiveness



LOGISTICS

Time is critical in the deployment of projects, and we prioritize delivery efficiency. Our dedicated team ensures stable stock availability and works closely with our distribution channel in order to optimize the availability of our products, ensuring your orders arrive promptly.



CUTTING-EDGE TECHNOLOGY SOLUTIONS

At the forefront of technology, we offer integrators access to cutting-edge solutions. Our commitment to innovation ensures that you can provide your customers with state-of-the-art video monitoring systems, staying ahead of industry trends and meeting the evolving needs of modern projects.

THE ADVANTAGES OF AI - UNLEASHING THE POSSIBILITIES



HUMAN DETECTION

DETECTS AND FOLLOWS HUMAN MOVEMENT UP TO 150FT. GET NOTIFIED AS SOON AS A HUMAN IS DETECTED ON YOUR PROPERTY.



VEHICLE DETECTION

DETECTS AND FOLLOWS VEHICLE MOVEMENT UP TO 250FT. GET NOTIFIED AS SOON AS A VEHICLE IS DETECTED ON YOUR PROPERTY.



FACE RECOGNITION

IDENTIFY FACES WITH CERTAIN ATTRIBUTES. GET NOTIFIED WHEN A SPECIFIED FACE IS DETECTED OR TRACK ALL THE TIMES AN INDIVIDUAL HAS BEEN DETECTED.



LICENSE PLATE DETECTION

IDENTIFIES UP TO 200,000 LICENCE PLATES OF STILL AND MOVING VEHICLES. SEARCH A LICENSE PLATE TO SEE ITS DETECTION HISTORY.



PERIMETER INTRUSION DETECTION

SELECT A FRAME IN YOUR CAMERA - ANY MOVEMENT WITHIN THAT FRAME WILL BE DETECTED.



LINE CROSSING DETECTION

INSTANTLY DETECT ANY MOTION ON A PRE-DEFINED VIRTUAL LINE.



INTRUSION DETECTION

INSTANTLY DETECT ANY INTRUSION PAST A PRE-DEFINED VIRTUAL ZONE.



CROSS COUNTING

COUNT HOW MANY HUMANS, VEHICLES OR NON-MOTORIZED VEHICLES CAME IN AND OUT OF A SELECTED FRAME.



QUEUE LENGTH DETECTION

DETECT WHEN LARGE QUEUES ARE FORMED AND GET NOTIFIED AFTER A SPECIFIED AMOUNT OF PEOPLE ARE DETECTED.



HEAT MAP FEATURE

DETECT TRENDS AND PATTERNS IN MOVEMENT.



STATIONARY OBJECT DETECTION

DETECTS MOVEMENT OF A LOST OBJECT IN A SELECTED FRAME.



CROWD DENSITY DETECTION

IDENTIFY PEAK HOURS AND VISITOR TRAFFIC PATTERNS WITH OUR PEOPLE-COUNTING FEATURE.



RARE SOUND DETECTION

GET NOTIFIED WHEN THE CAMERA MICROPHONE DETECTS GUNSHOTS, A BABY CRYING, OR DOGS BARKING



REGION ENTRANCE AND EXITING

DETECT WHEN A TARGET IS ENTERING AND EXITING A PRE-DEFINED AREA



SMART HOME INTEGRATION

OUR SMART HOME FEATURES ALLOW YOU TO MANAGE YOUR BUSINESS WITH THE CLICK OF A BUTTON!

SUPPORTED WITH VOICE ASSISTANT FEATURE

“SHOW THE OFFICE CAMERA ON X TV”

“IS THE OFFICE CAMERA ON?”

AUTOMATICALLY BACKUP YOUR DATA

YOU CAN USE YOUR GOOGLE AUDIO ASSISTANT TO CONTROL YOUR NVR.

ANYTIME, ANYWHERE, WITH ALMOST ANY DEVICE


INTEGRATION COMPATIBILITY:



EXT-4POE++

**NO EXTERNAL
POWER NEEDED!**

EXT-4POE



4 PORT POE EXTENDER AND SPLITTER



UNIVERSAL POE DUAL-CAMERA BRACKET ON 1 WIRE

FEATURES

- USE 1 WIRE ONLY FOR 2 CAMERAS
- WITH BUILT-IN 2 POE PORTS
- NO CONFIGURATION NEEDED
- COMPATIBLE WITH 3RD PARTY CAMERAS
- WALL MOUNT INSTALLATION
- JUNCTION BOX INSTALLATION
- MOUNTED ON WALL OR CEILING
- INDOOR & OUTDOOR USE

ACTIVE DETERRENCE SOLUTIONS WITH X SERIES CAMERAS



DETERRENCE LIGHTS

Red and blue lights activated when AI detection is triggered



SEE COLOUR AT NIGHT

TotalView will bring you full colour images up to 35m



TWO-WAY COMMUNICATION

With the SmartGuardian app, use the embedded or external microphone & speaker



VOICE PROMPTS

Activate the siren or a pre-recorded message through AI detection or through our APP or VMS



AI FEATURES

Take advantage of our AI features to reduce false detections up to 92%



P2P CLOUD CONNECTION

Scan your QR code & instantly connect without any port forwarding through a web port



5MP/8MP RESOLUTION

Experience ultra high definition with our 2k or 4k resolutions



EDGE RECORDING

Use the on-board storage to record up to 3 months with your 256GB SD card



INSTANT NOTIFICATIONS

Get notified for alarms such as AI detection, motion detection, I/O activation, or system failure



INTRODUCING
OUR NEW
30W
SPEAKERS

#SPK-30W-12V

- 1 POWER
- 2 RCA OUTPUT

POWERED BY CAMERA,
NO EXTRA WIRES NEEDED



#XB7ZATV2812IP5MP-AI
#XB8ZATV2812IP8MP-AI



XB7FPAN20IP8MP-AI

XD6ZTV2812IP5MP-AI
XD6ZTV2812IP8MP-AI

XT2FPAN20IP8MP-AI

XPTZ37XIP8MP-AI-N

XEBATVIP5MP28-AI-L-64G
XEBATVIP8MP28-AI-L-64G
XEBATVIP4MP28-AI-E (-B)


XT3ZTV2812IP5MP-AI
XT3ZTV2812IP8MP-AI

XB7ZTV2812IP5MP-AI
XB8ZTV2812IP8MP-AI

ENJOY TWO-WAY COMMUNICATION
WITH OUR APP
SMART GUARDIAN



#MON-PVM22



PIR




CAMERA



DETERRENCE LIGHTS



#MON-PVM10



POE PVM MONITOR

OUR INNOVATIVE PVM MONITORS BOAST A RANGE OF FEATURES TAILORED FOR RETAIL SETTINGS

IK7 TEMPERED GLASS

CUSTOM ADVERTISEMENT DEPLOY A MANAGEMENT SOFTWARE

CUSTOMIZABLE DISPLAY

RECORD DIRECTLY ON LOCAL NVR OR OPTIONAL 1TB SD CARD

WIFI & RJ45 CONNECTION

DC 12/24V OR POE POWERED

BUILT TO RUN 24/7 OR WITH CUSTOMIZED WORK SCHEDULE



CONNECTS TO ANY TV DIRECTLY WITH THE HDMI CABLE! →



HDMI™ CABLE

#D3F28IP5MP

HDMI IP CAMERA

5MP RESOLUTION

DC12V OR POE

2.8MM LENS

CUSTOM DETERRENCE MESSAGE

MANAGED SWITCH

MANAGE YOUR DEVICES DIRECTLY FROM OUR VMS SOFTWARE

TOPOLOGICAL DIAGRAM ON VMS PRO

View where your camera is located on the diagram (which port on which switch). Save time by quickly locating the issue on your network.

VISUAL MANAGEMENT THROUGH THE VMS

Manage your devices directly through your switch using our Video Management Software, restart the camera directly from your PoE switch

EXTENDED TRANSMISSION UP TO 250M

Extended power transmission up to 250m with extension mode

RED PORT PRIORITY

High priority ports that prioritize device data transmission.

DEVICE MONITORING

Live monitoring on the status of your devices, local and global power usage per port, instant & alarm notifications when a camera is down

MAX 10 LEVELS OF CASCADES


View up to 10 cascades of devices as a diagram

P2P CLOUD

Easily and securely connect your devices. Simply scan the P2P QR code on your device, and start monitoring

REAL TIME NOTIFICATIONS

Receive instant notification alerts on the app.



#SWC9POE-MAN

#SWC18POE-MAN




TOTAL VIEW CAMERA


TOTAL VIEW MODE PRESENTS BRILLIANT COLORFUL IMAGES IN COMPLETE DARKNESS



WARNING LIGHT



WHITE LIGHT / IR DUAL LEDS



AI HUMAN & VEHICLE DETECTION



SCHEDULE MODE ALLOWS YOU TO PROGRAM TO YOUR SPECIFIC NEEDS



REAL TIME NOTIFICATIONS



EX-IR LEDES

Lit only in Day/Night mode

F1.0 SUPER APERTURE

F1.0 super aperture collects more light to produce brighter images. (F1.2 for varifocal lens) 4x more light than conventional cameras.

ADVANCED SENSOR

Vastly improves the utilization of available light. Self-adaptive 3D Digital Noise Reduction removes noise and ensures full motion video.

WHITE LIGHT LEDES

Supplies plenty of lights in Total View mode. Possibility of turning into warning lights in Day/Night mode.



DISCOVER OUR NEW 30W SPEAKERS

#SPK-30W-12V



30W ACTIVE HORN SPEAKER

POWERED BY CAMERA 12V

STARTUP IN LESS THAN 1S

BUILT-IN CLASS-D AMPLIFIER

TALK THROUGH MOBILE OR VMS

WORKS WITH IP CAMS WITH RCA INPUT

CAN BE USED IN DAISY CHAIN WITH SIP
ONVIF SPEAKER

OUR
SPEAKERS
CAN BE
POWERED
BY YOUR
CAMERA,
ENSURING
EFFICIENT AND
HASSLE-FREE
INSTALLATION.



#SPK-IP30W-POE

- 1 POWER
- 2 RCA OUTPUT

30W ONVIF SIP NETWORK HORN SPEAKER

ONVIF COMPLIANT

COMPATIBLE WITH ONVIF AND SIP
MULTICAST SUPPORT UP TO 10 IPs

BUILT-IN MICROPHONE

STARTUP IN LESS THAN 1S

SUPPORTS MP3, WMA AND WAV

SUPPORTS POE .at

IP67 WATERPROOF DESIGN

OUR SMART GUARDIAN MOBILE APP

SCAN AND CONNECT!
EACH OF OUR DEVICES INCLUDES A QR CODE THAT YOU CAN SCAN AND INSTANTLY ACCESS YOUR DEVICES



LIVE VIEW

VIEW UP TO 16 CHANNELS SIMULTANEOUSLY

FAVOURITES

SET DIFFERENT CHANNELS FROM DIFFERENT SITES AS YOUR FAVOURITES

SEARCH

SELECT UP TO 4 CAMERAS FOR INSTANT SEARCH


AI SEARCH

SEARCH WITH AI DETECTION WITH A SPECIFIED TIME FRAME

PUSH NOTIFICATIONS

RECEIVE CUSTOMIZABLE ALERTS

ALARM / HUMAN & VEHICLE DETECTION / MOVEMENT / FACE RECOGNITION / HARD DISK ERROR / VIDEO LOSS



2 WAY AUDIO

LISTEN OR SPEAK THROUGH THE APP

ALARM

TRIGGER YOUR ALARM RELAYS, DETERRENCE LIGHTS, AND SIRENS

RECORD

RECORD ON MOBILE DEVICE SNAPSHOT OR VIDEO FILES

SAVE & SHARE

EASILY SAVE & SHARE VIDEO FILES THROUGH EMAIL, CLOUD, OR SMS

REMOTE CONFIGURATION

SETUP YOUR DEVICE REMOTELY

OUR INTUITIVE APP ALLOWS YOU TO EASILY CONNECT AND MANAGE YOUR SECURITY CAMERAS. VIEW LIVE FOOTAGE AND RECEIVE INSTANT NOTIFICATIONS ON YOUR SMARTPHONE OR TABLET



OUR VIDEO MANAGEMENT SOFTWARE PRO

MAIN FEATURES

- Multiple live view windows (up to 400 cameras)
- Set up and manage up to 250 devices
- Fast playback with AI features
- Limit access through multiple user accounts
- P2P connection with an easy serial code
- Easy backup in avi or mpeg4 format
- Auto-login features with saved layout
- Search by statistics

REMOTE CONFIGURATION

- Access each device setup remotely with full access
- Enable quick and easy updates to devices or software
- Manage a large number of devices or software instances





LIVE VIEW

- Live view up to 128 channel per windows
- Digital or motorized zoom in any camera
- Create a favorite from different site
- Auto show of the camera when vms start
- 24 differents division view type
- Two way audio (listen & talk)
- Real time alarm notification (human, vehicule, input trigger)

E-MAPPING

- Easily locate your cameras
 - Upload your floor plan
- Assign cameras to areas of your floor plan
 - Easily monitor your store
- Get alarm notifications through the floor plan





EASY REMOTE PLAYBACK

- Search by time / date
- Synchronous or single playback
- Digital zoom on each camera
- Set your main ou sub bandwidth
- Backup in avi, RF or mpeg4 files
- Smart search by ROI

SCENE REPORTS

- Artificial intelligence application based on cross-counting function that helps to control the number of customers/visitors/vehicles attending public places
 - Record the attendance of faces, humans, motor vehicles, and non-motor vehicles in real time
 - Configure you settings to receive daily, weekly, monthly, and yearly attendance reports by email
 - Count and view real-time results by group.





SAVE TIME ON YOUR EVENT SEARCH WITH A.I

- Search by human or vehicule detection
- Search by Facial Recognition
- AI search available on all channel simultaneously
- Set a time frame
- Backup picture in avi, RF or mpeg4 format
- AI advanced search
- Search by licence plate

STATISTICS VIEWER

- View statistics for: facial detection, human and vehicle detection, cross counting, heat map, repeated visitor
 - Filter statistics by day, week, month, quarter, year
 - Export as excel file



RECURRING VISITOR TRACKER

- Search by Facial Recognition
- AI search available on all channel simultaneously
- Set a time frame
- Backup picture in avi, RF or mpeg4 format
- AI advanced search



VMS ONVIF COMPATIBILITY

THE MOST **OPEN** SYSTEM
ONVIF MEMBER



PLEASE VISIT WWW.GSDGROUP.CA FOR THE FULL COMPATIBILITY CHART WITH THEIR FUNCTION LIMITATIONS

YOUR SEAL OF TRUST  GSDGROUP.CA

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

KEYEBALL

XEBFATVIP4MP28-AI-E
XEBFATVIP4MP28-AI-E-B
TOTAL VIEW



- OPTION
- ✓ SEE IN COLOR AT NIGHT
 - ✓ TWO-WAY COMMUNICATION
 - ✓ DETERRENCE LIGHTS AND SIREN
 - ✓ 64GB MICRO SD CARD INCLUDED

4MP
LENS 2.8MM
IR 25M
LUX 0.002



POE	MAX. 7.5W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE OR BLACK

JUNCTION BOX TEBBASE1 WALL MOUNT WMB2 OR WMB6 + TEBBASE1-G CEILING MOUNT CMB6-G + TEBBASE1-G

-35--+60°C IP67 **NEW**

KEYEBALL

XEBATVIP5MP28-AI-L-64G
XEBATVIP5MP28-AI-L-B-64G
TOTAL VIEW



- OPTION
- ✓ TRUE WDR
 - ✓ SEE IN COLOR AT NIGHT
 - ✓ TWO-WAY COMMUNICATION
 - ✓ DETERRENCE LIGHTS AND SIREN
 - ✓ 64GB MICRO SD CARD INCLUDED

5MP
LENS 2.8MM
IR 25M
LUX 0.002



POE	MAX. 7.1W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE OR BLACK

JUNCTION BOX TEBBASE1 WALL MOUNT WMB2 OR WMB6 + TEBBASE1-G CEILING MOUNT CMB6-G + TEBBASE1-G

-35--+60°C IP67

KEYEBALL

XEBATVIP8MP28-AI-L-64G
XEBATVIP8MP28-AI-L-B-64G
TOTAL VIEW



- OPTION
- ✓ SEE IN COLOR AT NIGHT
 - ✓ TWO-WAY COMMUNICATION
 - ✓ CUSTOMIZED VOICE MESSAGE
 - ✓ DETERRENCE LIGHTS AND SIREN
 - ✓ 64GB MICRO SD CARD INCLUDED

8MP
LENS 2.8MM
IR 25M
LUX 0.007



POE	MAX. 7.1W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE OR BLACK

JUNCTION BOX TEBBASE1 WALL MOUNT WMB2 OR WMB6 + TEBBASE1-G CEILING MOUNT CMB6-G + TEBBASE1-G

-35--+60°C IP67

EYEBALL

TEBFDAIP12MP36-AI



- OPTION
- ✓ BUILT-IN MICROPHONE
 - ✓ MICRO SD CARD UP TO 256GB

12MP
LENS 3.6MM
IR 30M
LUX 0.01



POE	MAX. 6.34W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX TEBBASE1 WALL MOUNT WMB2 OR WMB6 + TEBBASE1-G CEILING MOUNT CMB6-G + TEBBASE1-G

-35--+60°C IP67 **NEW**

EYEBALL

TEBFDATVIP5MP28-AI
TEBFDATVIP5MP28-AI-B
TOTAL VIEW



- OPTION
- ✓ TRUE WDR
 - ✓ SEE COLOR AT NIGHT
 - ✓ BUILT-IN MICROPHONE
 - ✓ MICRO SD CARD UP TO 256GB

5MP
LENS 2.8MM
IR 30M
LUX 0.002



POE	MAX. 5.2W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE OR BLACK

JUNCTION BOX TEBBASE1 WALL MOUNT WMB2 OR WMB6 + TEBBASE1-G CEILING MOUNT CMB6-G + TEBBASE1-G

-35--+60°C IP67

EYEBALL

TEBFDAIP5MP28-AI-L
TEBFDAIP5MP28-AI-L-B



- OPTION
- ✓ TRUE WDR
 - ✓ BUILT-IN MICROPHONE
 - ✓ MICRO SD CARD UP TO 256GB

5MP
LENS 2.8MM
IR 30M
LUX 0.004



POE	MAX. 5.5W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE OR BLACK

JUNCTION BOX TEBBASE1 WALL MOUNT WMB2 OR WMB6 + TEBBASE1-G CEILING MOUNT CMB6-G + TEBBASE1-G

-35--+60°C IP67

EYEBALL

TEBFDAIP8MP28-AI-L
TEBFDAIP8MP28-AI-L-B



- OPTION
- ✓ TRUE WDR
 - ✓ BUILT-IN MICROPHONE
 - ✓ MICRO SD CARD UP TO 256GB

8MP
LENS 2.8MM
IR 30M
LUX 0.009



POE	MAX. 5.5W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE OR BLACK

JUNCTION BOX TEBBASE1 WALL MOUNT WMB2 OR WMB6 + TEBBASE1-G CEILING MOUNT CMB6-G + TEBBASE1-G

-35--+60°C IP67

EYEBALL

TEBFDAIP8MP28-AI
TEBFDAIP8MP28-AI-B



- OPTION
- ✓ TRUE WDR
 - ✓ BUILT-IN MICROPHONE
 - ✓ MICRO SD CARD UP TO 256GB

8MP
LENS 2.8MM
IR 30M
LUX 0.009



POE	MAX. 6.5W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE OR BLACK

JUNCTION BOX TEBBASE1 WALL MOUNT WMB2 OR WMB6 + TEBBASE1-G CEILING MOUNT CMB6-G + TEBBASE1-G

-35--+60°C IP67



FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

MINI DOME

D2FDA28IP5MP-AI



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



5MP

LENS
2.8MM

IR
30M

LUX
0.003

POE	MAX. 5.5W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
D2BASE1	WMB2 OR WMB6 + D2BASE1-G	CMB6-G + D2BASE1-G

-30--+55°C IP67 / IK10 **SPECIAL ORDER**

MINI DOME

D2FDA28IP5MP-AI-L
D2FDA28IP5MP-AI-L-B



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ BUILT-IN MICROPHONE
- ✓ MICRO SD CARD UP TO 256GB



5MP

LENS
2.8MM

IR
30M

LUX
0.004

POE	MAX. 5W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE OR BLACK

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
D2BASE1	WMB2 OR WMB6 + D2BASE1-G	CMB6-G + D2BASE1-G

-30--+55°C IP67 / IK10 **NEW**

MINI DOME

D2FDA36IP12MP-AI



OPTION

- ✓ MICROPHONE
- ✓ MICRO SD CARD UP TO 256GB



12MP

LENS
3.6MM

IR
30M

LUX
0.01

POE	MAX. 5.29W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
D2BASE1	WMB2 OR WMB6 + D2BASE1-G	CMB6-G + D2BASE1-G

-35--+60°C IP67 **NEW**

TURRET

T2IP5MP28-L-N



OPTION

- ✓ TRUE WDR
- ✓ AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



5MP

LENS
2.8MM

IR
20M

LUX
0.004

POE	MAX. 5.5W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE4	WMB5 OR WMB6 + EB3BASE4-G	CMB6-G + EB3BASE4-G

-35--+60°C IP67

TURRET

T2IP8MP28-L-N



OPTION

- ✓ AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



8MP

LENS
2.8MM

IR
20M

LUX
0.009

POE	MAX. 5.5W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE4	WMB5 OR WMB6 + EB3BASE4-G	CMB6-G + EB3BASE4-G

-35--+60°C IP67

MINI FLAT DOME

FLF28D5MP-AI



OPTION

- ✓ TRUE WDR
- ✓ COMPACT SIZE
- ✓ BUILT-IN MICROPHONE
- ✓ MICRO SD CARD UP TO 256GB



5MP

LENS
2.8MM

IR
20M

LUX
0.004

POE	MAX. 4W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
D2BASE1	WMB6 + D2BASE1-G	CMB6-G + D2BASE1-G

-30--+60°C IP63

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

XTURRET

XT3ZTV2812IP5MP-AI
TOTAL VIEW



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ SEE IN COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



5MP

MOTORIZED LENS
2.8-12MM

IR
45M

LUX
0.002

POE	MAX. 7.2W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OU WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-35--+60°C 🏠/🏠 IP67

XTURRET

XT3ZTV2812IP8MP-AI
TOTAL VIEW



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ SEE IN COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



8MP

MOTORIZED LENS
2.8-12MM

IR
45M

LUX
0.007

POE	MAX. 8.6W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OU WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-35--+60°C 🏠/🏠 IP67

XBULLET

XB7ZATV2812IP5MP-AI
TOTAL VIEW



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ SEE IN COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



5MP

MOTORIZED LENS
2.8-12MM

IR
50M

LUX
0.002

POE	MAX. 10.3W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
B6BASE1	INCLUDED	N/A

-35--+60°C 🏠/🏠 IP67

XBULLET

XB8ZTV2812IP8MP-AI
TOTAL VIEW



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ SEE IN COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



8MP

MOTORIZED LENS
2.8-12MM

IR
50M

LUX
0.007

POE	MAX. 10.7W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE4	INCLUDED	CMB6-G + EB3BASE4-G

-35--+60°C 🏠/🏠 IP66

XDOME

XD6ZTV2812IP5MP-AI
TOTAL VIEW



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ ALARM/AUDIO IN/OUT
- ✓ SEE IN COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



5MP

MOTORIZED LENS
2.8-12MM

IR
45M

LUX
0.002

POE	MAX. 6.3W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OU WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-35--+60°C 🏠/🏠 IP67 / IK10

XDOME

XD6ZTV2812IP8MP-AI
TOTAL VIEW



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ ALARM/AUDIO IN/OUT
- ✓ SEE IN COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



8MP

MOTORIZED LENS
2.8-12MM

IR
45M

LUX
0.007

POE	MAX. 9.2W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OU WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-35--+60°C 🏠/🏠 IP67 / IK10

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

MINI DOME

D2Z2881P5MP-AI



5MP

MOTORIZED LENS
2.8-8MM

IR
30M

LUX
0.004



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ MICRO SD CARD UP TO 256GB



POE	5W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
D2BASE1	WMB2 OR WMB6 + D2BASE1-G	CMB6-G + D2BASE1-G

-30--55°C 🏠/🚗 IP67 / IK10 **SPECIAL ORDER**

DOME

D6Z2812IP5MP-AI-L



5MP

MOTORIZED LENS
2.8-12MM

IR
50M

LUX
0.004



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



POE	7W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OR WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-35--55°C 🏠/🚗 IP67 / IK10

DOME

D6Z2812IP5MP-AI-B



5MP

MOTORIZED LENS
2.7-13.5MM

IR
45M

LUX
0.003



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



POE	7.5W	CODEC	H264/H265
WDR	90DB	COLOR	BLACK

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3-B	WMB5-B	N/A

-30--55°C 🏠/🚗 IP67 / IK10

DOME

D6Z2812IP8MP-AI



8MP

MOTORIZED LENS
2.7-13.5MM

IR
45M

LUX
0.1



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



POE	7W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OR WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-30--55°C 🏠/🚗 IP67 / IK10

TURRET

T3Z2812IP5MP-AI-L
T3Z2812IP5MP-AI-L-B



5MP

MOTORIZED LENS
2.8-12MM

IR
45M

LUX
0.004



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



POE	MAX. 9W	CODEC	H264/H265
WDR	90DB	COLOR	BLACK OR WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OR WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-35--60°C 🏠/🚗 IP67

TURRET

T3Z2812IP8MP-AI



8MP

MOTORIZED LENS
2.7-13.5MM

IR
45M

LUX
0.009



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



POE	MAX. 10W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OR WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-35--60°C 🏠/🚗 IP67

BULLET

B7Z2812IP5MP-AI-N



5MP

MOTORIZED LENS
2.8-12MM

IR
45M

LUX
0.004



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



POE	MAX. 9W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
B6BASE1	INCLUDED	N/A

-35--60°C 🏠/🚗 IP67

BULLET

B7Z2812IP8MP-AI



8MP

MOTORIZED LENS
2.7-13.5MM

IR
45M

LUX
0.009



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



POE	MAX. 10W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
B6BASE1	INCLUDED	N/A

-35--60°C 🏠/🚗 IP67

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

FISHEYE

FE360IP12MP
f i a



- OPTION
- ✓ 180° TO 360°
 - ✓ TWO-WAY COMMUNICATION
 - ✓ MICRO SD CARD UP TO 256GB



12MP

LENS
2.0MM

IR
10M

LUX
0.01

POE	MAX. 9.6W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
FEBASE	WMB6 + FEBASE-G	CMB6-G + FEBASE-G

-30~+60°C A/A IP66

HDMI IP DOME

D3F28IP5MP
f i a



OPTION

- ✓ TRUE WDR
- ✓ HDMI OUTPUT
- ✓ AUDIO IN/OUT
- ✓ ALARM IN/OUT
- ✓ TF CARD SLOT UP TO 1TB



5MP

LENS
2.8MM

IR
20M

LUX
0.05

POE	MAX. 9W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
D2BASE1	WMB2 OR WMB6 + D2BASE1-G	CMB6-G + D2BASE1-G

-30~+45°C A/A IP66 SPECIAL ORDER

LONGRANGE BULLET

B7Z550IP8MP-AI
f i a



OPTION

- ✓ TRUE WDR
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



8MP

MOTORIZED
LENS
5-50MM

IR
80M

LUX
0.009

POE	MAX. 10W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
B6BASE1	INCLUDED	N/A

-35~+60°C A/A IP66

QUAD

QUADZ2812IP32MP-AI
TOTAL VIEW
f i a



OPTION

- ✓ IMPACT RESISTANT
- ✓ 360° LONG RANGE
- ✓ AUDIO/ALARM IN/OUT
- ✓ SEE IN COLOR AT NIGHT
- ✓ 60W INJECTOR INCLUDED
- ✓ MICRO SD CARD UP TO 256GB



4X 8MP

MOTORIZED
LENS
2.8-12MM

IR
30M

LUX
0.006

POE	MAX. 43W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	INCLUDED	CMB6-P

-30~+55°C A/A IP67 / IK10

PANORAMIC XBULLET

XB7FPAN20IP8MP-AI
TOTAL VIEW
f i a



OPTION

- ✓ TRUE WDR
- ✓ 180° PANORAMIC
- ✓ SEE COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



8MP

LENS
2.0MM

IR
25M

LUX
0.007

POE	MAX. 12W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
TEBBASE1	INCLUDED	N/A

-35~+60°C A/A IP67

PANORAMIC XBALL

XT2FPAN20IP8MP-AI
TOTAL VIEW
f i a



OPTION

- ✓ TRUE WDR
- ✓ 180° PANORAMIC
- ✓ SEE IN COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



8MP

LENS
2.0MM

IR
25M

LUX
0.007

POE	MAX. 13.1W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 OU WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

-30~+60°C A/A IP67

THERMAL BULLET

B7T4IP5MP-AI
f i a



OPTION

- ✓ SEE IN COLOR AT NIGHT
- ✓ TEMPERATURE MEASUREMENT
- ✓ TWO-WAY COMMUNICATION
- ✓ DETERRENCE LIGHTS AND SIREN
- ✓ MICRO SD CARD UP TO 256GB



5MP

LENS
3.2MM

IR
30M

LUX
0.003

POE	MAX 10.4W	CODEC	H264/H265 + MJPEG
WDR	120DB	COLOR	WHITE

WALL SUPPORT :	WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX :	TEBBASE1

-20~+150°C A/A IP67 NEW

PINHOLE

PIN20IP5MP-AI
f i a



OPTION

- ✓ AUDIO IN/OUT



5MP

LENS
2.0MM

IR
N/A

LUX
0.004

POE	MAX. 3.47W	CODEC	H264/H265
WDR	90DB	COLOR	BLACK

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	N/A	N/A

-35~+60°C A/A NEW

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

PTZ 25X

PTZ25XIP2MP-AI-N



OPTION

- ✓ AUTO-TRACKING
- ✓ 360° LONG RANGE
- ✓ 25X OPTICAL ZOOM
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



2MP

MOTORIZED LENS
5-125MM

IR
100M

LUX
0.002

POE	MAX. 22W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	INCLUDED	CMB6-P

-30--+60°C 🏠/🚗 IP66

PTZ 33X

PTZ33XIP5MP-AI-N



OPTION

- ✓ STARLIGHT
- ✓ TRUE WDR
- ✓ AUTO-TRACKING
- ✓ 360° LONG RANGE
- ✓ 33X OPTICAL ZOOM
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



5MP

MOTORIZED LENS
4.3-142MM

IR
150M

LUX
0.003

POE	MAX. 25.6W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	INCLUDED	CMB6-P

-30--+60°C 🏠/🚗 IP66

X PTZ 37X

XPTZ37XIP8MP-AI-N

TOTAL VIEW
🚗



OPTION

- ✓ AUTO-TRACKING
- ✓ 360° LONG RANGE
- ✓ 37X OPTICAL ZOOM
- ✓ ALARM/AUDIO IN/OUT
- ✓ SEE IN COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ MICRO SD CARD UP TO 256GB
- ✓ DETERRENCE LIGHTS AND SIREN



8MP

MOTORIZED LENS
5.5-202MM

IR
200M

LUX
0.0005

POE	36V DC / POE	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	INCLUDED	CMB6-P

-30--+65°C 🏠/🚗 IP67 / IK10

X PTZ

XPTZ4XIP8MP-AI



OPTION

- ✓ 350° LONG RANGE
- ✓ DETERRENCE LIGHTS
- ✓ TWO-WAY COMMUNICATION
- ✓ MICRO SD CARD UP TO 256GB



8MP

MOTORIZED LENS
2.8-12MM

IR
30M

LUX
0.009

POE	MAX. 13W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	INCLUDED	N/A

-30--+60°C 🏠/🚗 IP66

DOME PTZ

PTZD4XIP4MP-AI

TOTAL VIEW
🚗



OPTION

- ✓ TRUE WDR
- ✓ IMPACT RESISTANT
- ✓ 350° LONG RANGE
- ✓ SEE COLOR AT NIGHT
- ✓ TWO-WAY COMMUNICATION
- ✓ MICRO SD CARD UP TO 256GB



4MP

MOTORIZED LENS
2.8-12MM

IR
20M

LUX
0.001

POE	MAX. 13W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	WM65	N/A

-30--+60°C 🏠/🚗 IP66 / IK10

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

4K 4CH NVR
GSD-NVRFNC4K-04-N



8MP

X4
CHANNEL

X1
HDD

50
BANDWIDTH



Onvif®

POE	4	CODEC	H264/H265
ALARM	X	FORMAT	N/A

VIDEO OUT : HDMI 4K VGA 1080P
APP : SMART GUARDIAN

4K 8CH NVR
GSD-NVRFNC4K-08-N



8MP

X8
CHANNEL

X1
HDD

128
BANDWIDTH



Onvif®

POE	8	CODEC	H264/H265
ALARM	X	FORMAT	N/A

VIDEO OUT : HDMI 4K VGA 1080P
APP : SMART GUARDIAN

4K 16CH NVR
GSD-NVRFNC4K-16-N



8MP

X16
CHANNEL

X2
HDD

112
BANDWIDTH



Onvif®

POE	16	CODEC	H264/H265
ALARM	8 IN / 1 OUT	FORMAT	1U

VIDEO OUT : HDMI 4K VGA 1080P
APP : SMART GUARDIAN

4K 32CH NVR
GSD-NVRFNC4K-32NP-N



8MP

X32
CHANNEL

X8
HDD

256
BANDWIDTH



Onvif®

POE	N/A	CODEC	H264/H265
ALARM	16 IN / 4 OUT	FORMAT	2U

VIDEO OUT : 2X HDMI 4K VGA 1080P
APP : SMART GUARDIAN

4K 64CH NVR
GSD-NVRFNC4K-64NP-N



12MP

X64
CHANNEL

X8
HDD

640
BANDWIDTH



Onvif®

POE	N/A	CODEC	H264/H265
ALARM	16 IN / 4 OUT	FORMAT	2U

VIDEO OUT : 4X HDMI 4K VGA 1080P
APP : SMART GUARDIAN

4K 256CH NVR
GSD-NVRFNC4K-256NP



12MP

X256
CHANNEL

X16
HDD

1024
BANDWIDTH



Onvif®

POE	N/A	CODEC	H264/H265
ALARM	16 IN / 4 OUT	FORMAT	3U

VIDEO OUT : 4X HDMI 4K VGA 1080P
APP : SMART GUARDIAN

FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

EYEBALL

TEBF28A10-5MP
TEBF28A10-5MP-B



5MP

LENS
2.8MM

IR
20M

LUX
0.04

OPTION

- ✓ BUILT-IN MICROPHONE
- ✓ TVI-CVI-AHD-960H

PWR	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	N/A	COLOR	WHITE OR BLACK

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
TEBBASE1	WMB2 OR WMB6 + TEBBASE1-G	CMB6-G + TEBBASE1-G

-30~+55°C 🏠/🌳 IP66

EYEBALL

TEBF28A10-8MP
TEBF28A10-8MP-B



8MP

LENS
2.8MM

IR
20M

LUX
0.06

OPTION

- ✓ BUILT-IN MICROPHONE
- ✓ TVI-CVI-AHD-960H

PWR	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	N/A	COLOR	WHITE OR BLACK

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
TEBBASE1	WMB2 OR WMB6 + TEBBASE1-G	CMB6-G + TEBBASE1-G

-30~+55°C 🏠/🌳 IP66

EYEBALL

TEBFTV28A10-5MP
TEBFTV28A10-5MP-B
TOTAL VIEW



5MP

LENS
2.8MM

IR
30M

LUX
0.04

OPTION

- ✓ SEE IN COLOR AT NIGHT
- ✓ BUILT-IN MICROPHONE
- ✓ TVI-CVI-AHD-960H

PWR	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	N/A	COLOR	WHITE OR BLACK

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
TEBBASE1	WMB2 OR WMB6 + TEBBASE1-G	CMB6-G + TEBBASE1-G

-30~+55°C 🏠/🌳 IP66

EYEBALL

EB2FD28TVI-5MP
EB2FD28TVI-5MP-B



5MP

LENS
2.8MM

IR
20M

LUX
0.01

OPTION

- ✓ TVI-CVI-AHD-960H

PWR	12V 0.6A	SIGNAL	TVI-CVI-AHD-960H
WDR	N/A	COLOR	WHITE OR BLACK

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB2BASE	WMB2	N/A

-10~+50°C 🏠/🌳 IP66

TURRET

T2F28A10-5MP



5MP

LENS
2.8MM

IR
20M

LUX
0.04

OPTION

- ✓ TVI-CVI-AHD-960H

PWR	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE4	WMB5 OU WMB6 + EB3BASE4-G	CMB6-G + EB3BASE4-G

-30~+55°C 🏠/🌳 IP66

TURRET

T2F28A10-8MP



5MP

LENS
2.8MM

IR
20M

LUX
0.05

OPTION

- ✓ TVI-CVI-AHD-960H

PWR	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE4	WMB5 OU WMB6 + EB3BASE4-G	CMB6-G + EB3BASE4-G

-30~+55°C 🏠/🌳 IP66

BULLET

B2F28A10-5MP-M



5MP

LENS
2.8MM

IR
20M

LUX
0.04

OPTION

- ✓ BUILT-IN MICROPHONE
- ✓ TVI-CVI-AHD-960H

PWR	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	N/A	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
B6BASE1	INCLUDED	N/A

-30~+55°C 🏠/🌳 IP66

MINI DOME

D2F28A10-5MP



5MP

LENS
2.8MM

IR
20M

LUX
0.04

OPTION

- ✓ IMPACT RESISTANT
- ✓ TVI-CVI-AHD-960H

PWR	12V 0.6A	SIGNAL	TVI-CVI-AHD-960H
WDR	N/A	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
D2BASE1	WMB2 OR WMB6 + D2BASE1-G	CMB6-G + D2BASE1-G

-30~+55°C 🏠/🌳 IP66 / IK10

FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

EYEBALL

EB3VF2812A10-5MP
EB3VF2812A10-5MP-B



5MP

VARIFOCAL LENS
2.8-12MM

IR
30M

LUX
0.01

OPTION

✓ TVI-CVI-AHD-960H

PWR	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE OR BLACK

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE2	WMB5	N/A

🌡️ -10~+50°C 🏠/🌳 IP66

TURRET

T3Z2812A10-5MP



5MP

MOTORIZED LENS
2.7-13.5MM

IR
35M

LUX
0.02

OPTION

✓ TVI-CVI-AHD-960H

PWR	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 DU WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

🌡️ -30~+55°C 🏠/🌳 IP66

DOME

D6Z2812A10-5MP



5MP

MOTORIZED LENS
2.7-13.5MM

IR
35M

LUX
0.02

OPTION

✓ IMPACT RESISTANT

✓ TVI-CVI-AHD-960H

PWR	12V 0.6A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
EB3BASE3	WMB5 DU WMB6 + EB3BASE3-G	CMB6-G + EB3BASE3-G

🌡️ -30~+55°C 🏠/🌳 IP66 / IK10

BULLET

B7Z2812A10-5MP



5MP

MOTORIZED LENS
2.8-12MM

IR
35M

LUX
0.04

OPTION

✓ TVI-CVI-AHD-960H

PWR	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
B6BASE1	INCLUDED	N/A

🌡️ -30~+55°C 🏠/🌳 IP66

FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

COVERT
CVT371R



2MP

LENS
3.7MM

IR
10M

LUX
0.01

OPTION

- ✓ MOVEMENT DETECTION
- ✓ TVI-CVI-AHD-960H

PWR	12V 0.6A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	INCLUDED	N/A

-10--+50°C



PTZ
PTZ20XTVI



2MP

MOTORIZED*
LENS
4.7-94MM

IR
120M

20X
OPTICAL
ZOOM


OPTION

- ✓ 20X OPTICAL ZOOM
- ✓ 360° LONG RANGE
- ✓ TVI-CVI-AHD-960H
- ✓ CONTROL BY RS-485*

PWR	DC 12V / 3A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX	WALL MOUNT	CEILING MOUNT
N/A	INCLUDED	CWB6-P

-40--+60°C



IP66

FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

4K 4CH DVR
GSD-DVRFNC4K-04-N-AI

8MP

X4 CHANNEL

X1 HDD

IP CAM UP TO 6



 **NDAA Compliant**

TECHNO TVI/CVI/AHD ANALOG/IP

Onvif® ENCODER

FPS UP TO 30 @ 4K SIGNAL TVI-CVI-AHD-CBVS

SPOT MONITOR OUT

VIDEO OUT : HDMI 4K VGA 1080P
APP : SMART GUARDIAN




4K 8CH DVR
GSD-DVRFNC4K-08-N-AI


8MP

X8 CHANNEL

X1 HDD

IP CAM UP TO 12



 **NDAA Compliant**


TECHNO TVI/CVI/AHD ANALOG/IP

Onvif® ENCODER

FPS UP TO 30 @ 4K SIGNAL TVI-CVI-AHD-CBVS

SPOT MONITOR OUT

VIDEO OUT : HDMI 4K VGA 1080P
APP : SMART GUARDIAN




4K 16CH DVR
GSD-DVRFNC4K-16-N-AI

8MP

X16 CHANNEL

X2 HDD

IP CAM UP TO 24



 **NDAA Compliant**

TECHNO TVI/CVI/AHD ANALOG/IP

Onvif® ENCODER

FPS UP TO 30 @ 4K SIGNAL TVI-CVI-AHD-CBVS

SPOT MONITOR OUT

VIDEO OUT : HDMI 4K VGA 1080P
APP : SMART GUARDIAN




5MP 16CH DVR
GSD-DVRFNC5MP-16-N-AI


5MP

X16 CHANNEL

X2 HDD

IP CAM UP TO 4



 **NDAA Compliant**


TECHNO TVI/CVI/AHD ANALOG/IP

Onvif® ENCODER

FPS UP TO 15 @ 3.9MP SIGNAL TVI-CVI-AHD-CBVS

SPOT MONITOR OUT

VIDEO OUT : HDMI 4K VGA 1080P
APP : SMART GUARDIAN



5MP 32CH DVR
GSD-DVRFNC5MP-32-N-AI

5MP

X32 CHANNEL

X4 HDD

IP CAM UP TO 4



 **NDAA Compliant**

TECHNO TVI/CVI/AHD ANALOG/IP

Onvif® ENCODER

FPS UP TO 15 @ 3.9MP SIGNAL TVI-CVI-AHD-CBVS

SPOT MONITOR OUT

VIDEO OUT : 2X HDMI 4K VGA 1080P
APP : SMART GUARDIAN



FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

MODEL

DISTANCE

FORMAT

DETAILS

PACKAGE

TECHNO



BALUNHD

BALUN OVER TWISTED PAIR

UP TO 1400 FEET

PIGTAIL

2MP / 5MP / 8MP

PAIR

TVI/CVI/AHD/
ANALOG



GRDLOOPHD

GROUND LOOP ISOLATOR

UP TO 700 FEET

N/A

ELIMINATE VIDEO-
SIGNAL DISTORTION

UNIT

TVI/CVI/AHD/
ANALOG



BALUNHDA+

VIDEO / POWER/ AUDIO OVER CAT5

UP TO 1400 FEET

PIGTAIL

VIDEO POWER AUDIO

PAIR

TVI/CVI/AHD/
ANALOG

X SERIES

IP

ANALOG

X SERIES IP KIT

XKIT4IP4MP-AI-E

1X GSD-NVRFNC4K-04-N
4X XEBFATVIP4MP28-AI-E
OR
4X XEBFATVIP4MP28-AI-E-B



OPTION

- ✓ DETERRENCE LIGHTS
- ✓ SEE IN COLOR AT NIGHT
- ✓ MICROPHONE, SPEAKER & SIREN



4MP

X4
CHANNEL

X1
HDD

IN/OUT
ALARM/
AUDIO

KIT VARIATIONS

HDD	WHITE	BLACK
0	XKIT4IP4MP-AI-E	XKIT4IP4MP-AI-E-B
1TB	XKIT4IP4MP-AI-E-1T	XKIT4IP4MP-AI-E-B-1T
2TB	XKIT4IP4MP-AI-E-2T	XKIT4IP4MP-AI-E-B-2T

X SERIES IP KIT

XKIT6IP4MP-AI-E

1X GSD-NVRFNC4K-08-N
6X XEBFATVIP4MP28-AI-E
OR
6X XEBFATVIP4MP28-AI-E-B



OPTION

- ✓ DETERRENCE LIGHTS
- ✓ SEE IN COLOR AT NIGHT
- ✓ MICROPHONE, SPEAKER & SIREN



4MP

X8
CHANNEL

X1
HDD

IN/OUT
ALARM/
AUDIO

KIT VARIATIONS

HDD	WHITE	BLACK
0	XKIT6IP4MP-AI-E	XKIT6IP4MP-AI-E-B
2TB	XKIT6IP4MP-AI-E-2T	XKIT6IP4MP-AI-E-B-2T
4TB	XKIT6IP4MP-AI-E-4T	XKIT6IP4MP-AI-E-B-4T
8TB	XKIT6IP4MP-AI-E-8T	XKIT6IP4MP-AI-E-B-8T

X SERIES IP KIT

XKIT12IP4MP-AI-E

1X GSD-NVRFNC4K-16-N
12X XEBFATVIP4MP28-AI-E
OR
12X XEBFATVIP4MP28-AI-E-B



OPTION

- ✓ DETERRENCE LIGHTS
- ✓ SEE IN COLOR AT NIGHT
- ✓ MICROPHONE, SPEAKER & SIREN



4MP

X16
CHANNEL

X2
HDD

IN/OUT
ALARM/
AUDIO

KIT VARIATIONS

HDD	WHITE	BLACK
0	XKIT12IP4MP-AI-E	XKIT12IP4MP-AI-E-B
4TB	XKIT12IP4MP-AI-E-4T	XKIT12IP4MP-AI-E-B-4T
8TB	XKIT12IP4MP-AI-E-8T	XKIT12IP4MP-AI-E-B-8T
16TB	XKIT12IP4MP-AI-E-16T	XKIT12IP4MP-AI-E-B-16T

X SERIES IP KIT

XKIT4IP8MP-AI

1X GSD-NVRFNC4K-04-N
4X XEBATVIP8MP28-AI-L-64G
OR
4X XEBATVIP8MP28-AI-L-B-64G



OPTION

- ✓ DETERRENCE LIGHTS
- ✓ SEE IN COLOR AT NIGHT
- ✓ MICROPHONE, SPEAKER & SIREN



8MP

X4
CHANNEL

X1
HDD

IN/OUT
ALARM/
AUDIO

KIT VARIATIONS

HDD	WHITE	BLACK
0	XKIT4IP8MP-AI	XKIT4IP8MP-AI-B
1TB	XKIT4IP8MP-AI-1T	XKIT4IP8MP-AI-B-1T
2TB	XKIT4IP8MP-AI-2T	XKIT4IP8MP-AI-B-2T

X SERIES IP KIT

XKIT6IP8MP-AI

1X GSD-NVRFNC4K-08-N
6X XEBATVIP8MP28-AI-L-64G
OR
6X XEBATVIP8MP28-AI-L-B-64G



OPTION

- ✓ DETERRENCE LIGHTS
- ✓ SEE IN COLOR AT NIGHT
- ✓ MICROPHONE, SPEAKER & SIREN



8MP

X8
CHANNEL

X1
HDD

IN/OUT
ALARM/
AUDIO

KIT VARIATIONS

HDD	WHITE	BLACK
0	XKIT6IP8MP-AI	XKIT6IP8MP-AI-B
2TB	XKIT6IP8MP-AI-2T	XKIT6IP8MP-AI-B-2T
4TB	XKIT6IP8MP-AI-4T	XKIT6IP8MP-AI-B-4T
8TB	XKIT6IP8MP-AI-8T	XKIT6IP8MP-AI-B-8T

X SERIES IP KIT

XKIT12IP8MP-AI

1X GSD-NVRFNC4K-16-N
12X XEBATVIP8MP28-AI-L-64G
OR
12X XEBATVIP8MP28-AI-L-B-64G



OPTION

- ✓ DETERRENCE LIGHTS
- ✓ SEE IN COLOR AT NIGHT
- ✓ MICROPHONE, SPEAKER & SIREN



8MP

X16
CHANNEL

X2
HDD

IN/OUT
ALARM/
AUDIO

KIT VARIATIONS

HDD	WHITE	BLACK
0	XKIT12IP8MP-AI	XKIT12IP8MP-AI-B
4TB	XKIT12IP8MP-AI-4T	XKIT12IP8MP-AI-B-4T
8TB	XKIT12IP8MP-AI-8T	XKIT12IP8MP-AI-B-8T
16TB	XKIT12IP8MP-AI-16T	XKIT12IP8MP-AI-B-16T

X SERIES

IP

ANALOG

IP KIT

KIT4IP5MP-AI

1X GSD-NVRFNC4K-04-N
4X TEBFDAIP5MP28-AI-L
OR
4X TEBFDAIP5MP28-AI-L-B



5MP

X4 CHANNELS

X1 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT4IP5MP-AI	KIT4IP5MP-AI-B
1TB	KIT4IP5MP-AI-1T	KIT4IP5MP-AI-B-1T
2TB	KIT4IP5MP-AI-2T	KIT4IP5MP-AI-B-2T

IP KIT

KIT4IP8MP-AI

1X GSD-NVRFNC4K-04-N
4X TEBFDAIP8MP28-AI-L
OR
4X TEBFDAIP8MP28-AI-L-B



8MP

X4 CHANNELS

X1 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT4IP8MP-AI	KIT4IP8MP-AI-B
1TB	KIT4IP8MP-AI-1T	KIT4IP8MP-AI-B-1T
2TB	KIT4IP8MP-AI-2T	KIT4IP8MP-AI-B-2T

IP KIT

KIT6IP5MP-AI

1X GSD-NVRFNC4K-08-N
6X TEBFDAIP5MP28-AI-L
OR
6X TEBFDAIP5MP28-AI-L-B



5MP

X8 CHANNELS

X1 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT6IP5MP-AI	KIT6IP5MP-AI-B
2TB	KIT6IP5MP-AI-2T	KIT6IP5MP-AI-B-2T
4TB	KIT6IP5MP-AI-4T	KIT6IP5MP-AI-B-4T
8TB	KIT6IP5MP-AI-8T	KIT6IP5MP-AI-B-8T

IP KIT

KIT6IP8MP-AI

1X GSD-NVRFNC4K-08-N
6X TEBFDAIP8MP28-AI-L
OR
6X TEBFDAIP8MP28-AI-L-B



8MP

X8 CHANNELS

X1 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT6IP8MP-AI	KIT6IP8MP-AI-B
2TB	KIT6IP8MP-AI-2T	KIT6IP8MP-AI-B-2T
4TB	KIT6IP8MP-AI-4T	KIT6IP8MP-AI-B-4T
8TB	KIT6IP8MP-AI-8T	KIT6IP8MP-AI-B-8T

IP KIT

KIT12IP5MP-AI

1X GSD-NVRFNC4K-16-N
12X TEBFDAIP5MP28-AI-L
OR
12X TEBFDAIP5MP28-AI-L-B



5MP

X16 CHANNELS

X2 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT12IP5MP-AI	KIT12IP5MP-AI-B
4TB	KIT12IP5MP-AI-4T	KIT12IP5MP-AI-B-4T
8TB	KIT12IP5MP-AI-8T	KIT12IP5MP-AI-B-8T
16TB	KIT12IP5MP-AI-16T	KIT12IP5MP-AI-B-16T

IP KIT

KIT12IP8MP-AI

1X GSD-NVRFNC4K-16-N
12X TEBFDAIP8MP28-AI-L
OR
12X TEBFDAIP8MP28-AI-L-B



8MP

X16 CHANNELS

X2 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT12IP8MP-AI	KIT12IP8MP-AI-B
4TB	KIT12IP8MP-AI-4T	KIT12IP8MP-AI-B-4T
8TB	KIT12IP8MP-AI-8T	KIT12IP8MP-AI-B-8T
16TB	KIT12IP8MP-AI-16T	KIT12IP8MP-AI-B-16T

X SERIES

IP

ANALOG

ANALOG KIT

KIT4AI05MP-AI

1X GSD-DVRFNC4K-04-N-AI
4X TEBF28AI0-5MP
OR
4X TEBF28AI0-5MP-B



5MP

X4 CHANNELS

X1 HDD

IN/OUT ALARM/AUDIO

✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT4AI05MP-AI	KIT4AI05MP-AI-B
1TB	KIT4AI05MP-AI-1T	KIT4AI05MP-AI-B-1T
2TB	KIT4AI05MP-AI-2T	KIT4AI05MP-AI-B-2T

ANALOG KIT

KIT4AI08MP-AI

1X GSD-DVRFNC4K-04-N-AI
4X TEBF28AI0-8MP
OR
4X TEBF28AI0-8MP-B



8MP

X4 CHANNELS

X1 HDD

IN/OUT ALARM/AUDIO

✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT4AI08MP-AI	KIT4AI08MP-AI-B
2TB	KIT4AI08MP-AI-2T	KIT4AI08MP-AI-B-2T
4TB	KIT4AI08MP-AI-4T	KIT4AI08MP-AI-B-4T

ANALOG KIT

KIT6AI05MP-AI

1X GSD-DVRFNC4K-08-N-AI
6X TEBF28AI0-5MP
OR
6X TEBF28AI0-5MP-B



5MP

X8 CHANNELS

X1 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT6AI05MP-AI	KIT6AI05MP-AI-B
1TB	KIT6AI05MP-AI-1T	KIT6AI05MP-AI-B-1T
2TB	KIT6AI05MP-AI-2T	KIT6AI05MP-AI-B-2T
4TB	KIT6AI05MP-AI-4T	KIT6AI05MP-AI-B-4T

ANALOG KIT

KIT6AI08MP-AI

1X GSD-DVRFNC4K-08-N-AI
6X TEBF28AI0-8MP
OR
6X TEBF28AI0-8MP-B



8MP

X8 CHANNELS

X1 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT6AI08MP-AI	KIT6AI08MP-AI-B
2TB	KIT6AI08MP-AI-2T	KIT6AI08MP-AI-B-2T
4TB	KIT6AI08MP-AI-4T	KIT6AI08MP-AI-B-4T
8TB	KIT6AI08MP-AI-8T	KIT6AI08MP-AI-B-8T

ANALOG KIT

KIT12AI05MP-AI

1X GSD-DVRFNC5MP-16-N-AI
12X TEBF28AI0-5MP
OR
12X TEBF28AI0-5MP-B



5MP LITE

X16 CHANNELS

X2 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT12AI05MP-AI	KIT12AI05MP-AI-B
4TB	KIT12AI05MP-AI-4T	KIT12AI05MP-AI-B-4T
8TB	KIT12AI05MP-AI-8T	KIT12AI05MP-AI-B-8T
16TB	KIT12AI05MP-AI-16T	KIT12AI05MP-AI-B-16T

ANALOG KIT

KIT12AI08MP-AI

1X GSD-DVRFNC4K-16-N-AI
12X TEBF28AI0-8MP
OR
12X TEBF28AI0-8MP-B



8MP

X16 CHANNELS

X2 HDD

IN/OUT ALARM/AUDIO

OPTION
✓ MICROPHONE



KIT VARIATIONS

HDD	WHITE	BLACK
0	KIT12AI08MP-AI	KIT12AI08MP-AI-B
4TB	KIT12AI08MP-AI-4T	KIT12AI08MP-AI-B-4T
8TB	KIT12AI08MP-AI-8T	KIT12AI08MP-AI-B-8T
16TB	KIT12AI08MP-AI-16T	KIT12AI08MP-AI-B-16T

WIRELESS

B2F28WL-8MP



- OPTION
- ✓ PIR
 - ✓ SPEAKER
 - ✓ MICROPHONE
 - ✓ BATTERY NOT INCLUDED



POE	4W	CODEC	H264/H265
WDR	N/A	COLOR	WHITE

-20~+50°C 🏠/🌳 IP66

8MP

LENS
2.8MM

IR
15M

LUX
0

NVR

GSD-NVRWLFNC4K-08



POE	12V/2A	CODEC	H264/H265
ALARM	N/A	FORMAT	N/A

VIDEO OUT HDMI 4K VGA 1080P
APP SMART GUARDIAN

8MP

X8
CHANNEL

X3
USB PORTS

HaLow WIFI KIT

KITWHL4K-08

- 1X GSD-NVRWLFNC4K-08
- 1X 2TB HARD DRIVE
- 6X B2F28WL-8MP
- 6X PWR-WL5V-2A
- 6X BAT-WLFNC



- OPTION
- ✓ PIR
 - ✓ SPEAKER
 - ✓ MICROPHONE
 - ✓ ZOOM WIFI TRANSMISSION DISTANCE



POE	4.5W	CODEC	H264/H265
WDR	N/A	COLOR	WHITE

-20~+50°C 🏠/🌳 IP66

8MP

X8
CHANNEL

LENS
2.8MM

IR
15M

WIRELESS ACCESSORIES

BATTERY

BAT-WLFNC



CABLE

PWR-WL5V-2A



- OPTION
- ✓ WIRE PROTECTION

15
FEET

5V-2
AMP

SOLAR PANEL

SOL-12V



NETWORK ACCESSORIES

MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

POWER SUPPLIES

POE EXTENDER

PORT

POE

UPLINK

POWER OUT

FORMAT

POWER IN

BANDWIDTH



EXTPOE

1

YES

N/A

15.5W

802.3AF

POE

10/100



EXT-2POE

2

YES

1

30W

802.3AF/AT

POE + 25W

10/100/1000

NEW



EXT-4POE

4

YES

1

25.5W

802.3AF

POE + 25W

10/100



EXT-4POE++

4

YES

1

90W

802.3AF/B

POE ++ 90W

10/100/1000

NEW



INJPOE-25W

1

YES

NO

25W

802.3AT

48V / 2.5A

10/100/1000



INJPOE-90W

1

YES

NO

90W

802.3AT/B

48V / 2.5A

10/100/1000

NEW



IPCOAX-300M

1

YES

N/A

25W

802.3AF/AT

120V

10/100



EXT-KVM

N/A

N/A

N/A

N/A

HDMI

5V

N/A



MON-TEST-7P

2

YES

YES

48V

7"

12V

N/A



IPCOAX-KIT8

1

YES

YES

150W

802.3AF/AT

120V

GIGA

NEW

NETWORK ACCESSORIES















MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

POWER SUPPLIES

	MODEL	COLOR	DETAILS
	EB3BASE3 EB3BASE3-B	BLACK/WHITE	JUNCTION BOX EB3 D6 XD6 T3 XT3
	EB3BASE3-G	WHITE	SUSPENDED JUNCTION BOX EB3 D6 XD6 T3 XT3
	EB3BASE4 EB3BASE4-B	BLACK/WHITE	JUNCTION BOX T2 TEB XEB XB8
	EB3BASE4-G	WHITE	SUSPENDED JUNCTION BOX T2 TEB XEB XB8
	FEBASE	WHITE	JUNCTION BOX FISHEYE
	FEBASE-G	WHITE	SUSPENDED JUNCTION BOX FISHEYE
	TEBBASE1 TEBBASE1-B	BLACK/WHITE	JUNCTION BOX EB2 TEB XEB XB7F
	TEBBASE1-G TEBBASE1-G-B	WHITE	SUSPENDED JUNCTION BOX EB2 TEB XEB XB7F
	CMB6-P	WHITE	CEILING MOUNT DBASEX-P PTZXX QUAD
	CMB6-G	WHITE	CEILING MOUNT FOR BASES -G
	DBASEC	WHITE	JUNCTION BOX TEB D2 XEB B7 XB7
	DBASEC-P	WHITE	SUSPENDED JUNCTION BOX DBASEC
	COMB6	WHITE	CORNER MOUNT BRACKET
	CMB6-EXT-120 CMB6-EXT-B-120	BLACK/WHITE	TELESCOPIC MOUNT 61"-120" (Ø120MM) - TEB XEB FLF FE D2 B7Z, XB7 XB8
	CMB6-EXT-150 CMB6-EXT-B-150	BLACK/WHITE	TELESCOPIC MOUNT 61"-120" (Ø150MM) - T3Z XT3Z T2 XT2 D6 XD6Z

	MODEL	COLOR	DETAILS
	D2BASE1 D2BASE1-B	WHITE	JUNCTION BOX D2 FLF
	D2BASE1-G D2BASE1-G-B	WHITE	SUSPENDED JUNCTION BOX D2 FLF
	WMB2 WMB2-B	BLACK/WHITE	WALL SUPPORT EB2 TEB XEB D2
	WMB5 WMB5-B	BLACK/WHITE	WALL SUPPORT EB3 D6 XT2 T2 T3 XT3 PTZD
	B6BASE1	WHITE	JUNCTION BOX B2 B6 B7Z XB7Z XB8
	WMB6 WMB6-B	WHITE	WALL SUPPORT FOR BASES -G
	DCMB2	WHITE	RECESSED BRACKET D2
	DCMB6	WHITE	RECESSED BRACKET D6
	PMB6	WHITE	POLE MOUNT BRACKET
	DBASEX	WHITE	JUNCTION BOX B7Z XB7Z D6 T2 T3 XT3
	DBASEX-P	WHITE	SUSPENDED JUNCTION BOX DBASEX
	WMB8	WHITE	WALL SUPPORT DBASEX-P PTZ
	ECVR ECVR-B	BLACK/WHITE	UNIVERSAL CAMERA COVER
	D6-CAP	WHITE	PROTECTION CAP D6 XD6

NETWORK ACCESSORIES

MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

POWER SUPPLIES

NON-MANAGED POE SWITCH

PORTS

POE

UPLINK

POWER OUT

FORMAT

POWER IN

BANDWIDTH



SWC5POE-GIGA

4

YES

1 X RJ45

96W

802.3AF/AT

120V

10/100/1000



SWC10POE-GIGA

8

YES

1 X RJ45

196W

802.3AF/AT

120V

10/100/1000



SWC18POE-GIGA

16

YES

2 X RJ45

250W

802.3AF/AT

120V

10/100/1000



SWC28POE-GIGA

24

YES

4 X RJ45

350W

802.3AF/AT

120V

10/100



SWC32POE-GIGA

28

YES

4 X FIBER
4 X RJ45

450W

802.3AF/AT

120V

10/100/1000

MANAGED POE SWITCH

PORTS

POE

UPLINK

POWER OUT

FORMAT

POWER IN

BANDWIDTH



SWC9POE-MAN

8

YES

1

65W

802.3AH/AZ

48V / 1.5A

10/100/1000



SWC18POE-MAN

16

YES

2

230W

802.3AB/AF/AT

52V / 4.8A

10/100/1000

NETWORK ACCESSORIES

MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

POWER SUPPLIES

SPEAKER
SPK-IP30W-POE



30W
POE+

SIREN
105dB

8KHz
400Hz

230°
DISPERSION

OPTION

- ✓ BUILT-IN MICROPHONE
- ✓ SIP & ONVIF COMPLIANT
- ✓ STARTUP IN LESS THAN 1S
- ✓ UP TO 12 PRE-RECORDED BELLS
- ✓ COMPATIBLE WITH 3RD PARTY VMS
- ✓ UP TO 12 PRE-RECORDED MESSAGES



🌡️ -30--60°C 🏠/🌳 IP66

SPEAKER
SPK-30W-12V



30W
12V

SIREN
105dB

8KHz
350Hz

230°
DISPERSION

OPTION

- ✓ POWERED BY 12V
- ✓ STARTUP IN LESS THAN 1S
- ✓ TALK THROUGH MOBILE OR VMS
- ✓ BUILT-IN CLASS-D AMPLIFIER
- ✓ WORKS WITH IP CAMERAS WITH RCA INPUT

🌡️ -30--60°C 🏠/🌳 IP67

SPEAKER
MIC-AIO-12V



12V
2.5W

SIREN
88dB

MIC
10M

IP66

OPTION

- ✓ AIO MIC SPEAKER
- ✓ STROBE DETERRENCE
- ✓ NO EXTRA WIRE NEEDED
- ✓ WORKS WITH IP CAMERAS
- ✓ TALK THROUGH MOBILE OR VMS

🌡️ -30--55°C 🏠/🌳 IP66

NETWORK ACCESSORIES

MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

POWER SUPPLIES



PWR-12V-2A

POWER SUPPLY



ESATA-4HDD

4HDD EXTERNAL HARD DRIVE CASING



PWR-12V-3A

POWER SUPPLY



SPLIT-4

PIGTAIL POWER SPLITTER 1-4



PWR-12V-5A

POWER SUPPLY



MIC-CAM-KIT

12V MICROPHONE / RCA



PWR-48V-3.5A-4PIN

POWER SUPPLY



22 INCH MONITOR

LED 1080P HDMI



T-BLOCKS

POWER CONNECTOR

POE PVM MONITOR

MONPVM-10



OPTION

- ✓ 3W BUILT-IN SPEAKER
- ✓ LED DETERRENCE LIGHTS
- ✓ WIFI & RJ45 CONNECTION
- ✓ PRE-RECORDED MESSAGES
- ✓ DC 12-24V OR POE POWERED
- ✓ FACE DETECTION AND PIR SENSOR
- ✓ IK7 TEMPERED GLASS PROTECTION

0--50°C

2MP
CAMERA
RESOLUTION

LENS
3.3MM

1280 X 800
DISPLAY
RESOLUTION

10.1"
SCREEN SIZE



POE PVM MONITOR

MONPVM-22



OPTION

- ✓ 2X 3W BUILT-IN SPEAKER
- ✓ LED DETERRENCE LIGHTS
- ✓ WIFI & RJ45 CONNECTION
- ✓ PRE-RECORDED MESSAGES
- ✓ DC 12-24V OR POE POWERED
- ✓ FACE DETECTION AND PIR SENSOR
- ✓ IK7 TEMPERED GLASS PROTECTION

0--50°C

2MP
CAMERA
RESOLUTION

LENS
3.3MM

1920 X 1080
DISPLAY
RESOLUTION

21.5"
SCREEN SIZE



POE PVM MONITOR

MONPVM-32



OPTION

- ✓ 2X 3W BUILT-IN SPEAKER
- ✓ LED DETERRENCE LIGHTS
- ✓ WIFI & RJ45 CONNECTION
- ✓ PRE-RECORDED MESSAGES
- ✓ DC 12-24V OR POE POWERED
- ✓ FACE DETECTION AND PIR SENSOR
- ✓ IK7 TEMPERED GLASS PROTECTION

0--50°C

2MP
CAMERA
RESOLUTION

LENS
3.3MM

1920 X 1080
DISPLAY
RESOLUTION

32"
SCREEN SIZE



SPECIAL ORDER

KEYEBALL

XEBFATVIP4MP28-AI-E
XEBFATVIP4MP28-AI-E-B
TOTAL VIEW



- OPTION
- ✓ SEE IN COLOR AT NIGHT
 - ✓ TWO-WAY COMMUNICATION
 - ✓ DETERRENCE LIGHTS AND SIREN
 - ✓ 64GB MICRO SD CARD INCLUDED



4MP

LENS
2.8MM

IR
25M

LUX
0.002

POE	MAX. 7.5W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE OR BLACK

JUNCTION BOX: TEBBASE1
WALL MOUNT: WMB2 OR WMB6 + TEBBASE1-G
CEILING MOUNT: CMB6-G + TEBBASE1-G

-35--+60°C IP67 **NEW**

EYEBALL

TEBFDAIP12MP36-AI



- OPTION
- ✓ BUILT-IN MICROPHONE
 - ✓ MICRO SD CARD UP TO 256GB



12MP

LENS
3.6MM

IR
30M

LUX
0.01

POE	MAX. 6.34W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX: TEBBASE1
WALL MOUNT: WMB2 OR WMB6 + TEBBASE1-G
CEILING MOUNT: CMB6-G + TEBBASE1-G

-35--+60°C IP67 **NEW**

MINI DOME

D2FDA28IP5MP-AI-L
D2FDA28IP5MP-AI-L-B



- OPTION
- ✓ TRUE WDR
 - ✓ IMPACT RESISTANT
 - ✓ BUILT-IN MICROPHONE
 - ✓ MICRO SD CARD UP TO 256GB



5MP

LENS
2.8MM

IR
30M

LUX
0.004

POE	MAX. 5W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE OR BLACK

JUNCTION BOX: D2BASE1
WALL MOUNT: WMB2 OR WMB6 + D2BASE1-G
CEILING MOUNT: CMB6-G + D2BASE1-G

-30--+55°C IP67 / IK10 **NEW**

MINI DOME

D2FDA36IP12MP-AI



- OPTION
- ✓ MICROPHONE
 - ✓ MICRO SD CARD UP TO 256GB



12MP

LENS
3.6MM

IR
30M

LUX
0.01

POE	MAX. 5.29W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

JUNCTION BOX: D2BASE1
WALL MOUNT: WMB2 OR WMB6 + D2BASE1-G
CEILING MOUNT: CMB6-G + D2BASE1-G

-35--+60°C IP67 **NEW**

THERMAL BULLET

B7T4IP5MP-AI



- OPTION
- ✓ SEE IN COLOR AT NIGHT
 - ✓ TEMPERATURE MEASUREMENT
 - ✓ TWO-WAY COMMUNICATION
 - ✓ DETERRENCE LIGHTS AND SIREN
 - ✓ MICRO SD CARD UP TO 256GB



5MP

LENS
3.2MM

IR
30M

LUX
0.003

POE	MAX 10.4W	CODEC	H264/H265 + MJPEG
WDR	120DB	COLOR	WHITE

WALL SUPPORT : WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX : TEBBASE1

-20--+150°C IP67 **NEW**

PINHOLE

PIN20IP5MP-AI



- OPTION
- ✓ AUDIO IN/OUT



5MP

LENS
2.0MM


IR
N/A























LUX
0.004

POE	MAX. 3.47W	CODEC	H264/H265
WDR	90DB	COLOR	BLACK

JUNCTION BOX: N/A
WALL MOUNT: N/A
CEILING MOUNT: N/A

-35--+60°C IP67 **NEW**



	FLF	D2	D6	XD6	TEB XEB	T2	XT2	T3 XT3	B2	B7 XB7	XB8	XB7F	PTZD	PTZ XPTZ	FE	QUAD	CMB6-G	WMB6 (-B)	DBASEX-P	DBASEX-C
 EB3BASE3 (-B)			✓	✓				✓												
 EB3BASE3-G			✓	✓				✓									✓	✓		
 EB3BASE4 (-B)					✓*	✓					✓									
 EB3BASE4-G					✓*	✓					✓						✓	✓		
 FEBASE															✓					
 FEBASE-G															✓		✓	✓		
 TEBBASE1 (-B)					✓							✓								
 TEBBASE1-G (-B)					✓							✓					✓	✓		
 D2BASE1 (-B)	✓	✓																		
 D2BASE1-G (-B)	✓	✓															✓	✓		
 WMB2 (-B)																				
 WMB5 (-B)			✓			✓	✓	✓					✓							
 B6BASE1									✓	✓										
 WMB8														✓		✓			+	+
 DBASEX			✓			✓		✓		✓									+	+
 DBASEC		✓			✓					✓										+
 CMB6-P														✓		✓			+	+
 CMB6-EXT-120 (-B)	✓	✓			✓					✓	✓	✓			✓					
 CMB6-EXT-150 (-B)			✓	✓		✓	✓						✓							
 DCMB2		✓																		
 DCMB6			✓																	
 D6-CAP			✓	✓																

* PLEASE NOTE THAT THE BOX IS BIGGER THAN THE CAMERA HOUSING

+ NOTE : THESE MOUNTS REQUIRE ADDITIONAL COMPONENTS FOR PROPER USE

EXAMPLE

D6 Z V F D 2 8 1 2 A I O - X M P

DOME	}	FLF	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="background-color: #FFD700;">D</td><td>DUAL VOLTAGE</td></tr> <tr><td style="background-color: #800040;">Z</td><td>MOTORIZED LENS</td></tr> <tr><td style="background-color: #32CD32;">VF</td><td>VARIFOCAL LENS</td></tr> <tr><td style="background-color: #9ACD32;">F</td><td>FIXED LENS</td></tr> <tr><td style="background-color: black; color: white;">B</td><td>BLACK COLOR</td></tr> <tr><td style="background-color: #696969;">M</td><td>MICROPHONE</td></tr> <tr><td style="background-color: #FF8C00;">AI</td><td>ARTIFICIAL INTELLIGENCE</td></tr> <tr><td style="background-color: #FFB6C1;">L</td><td>LIMITED</td></tr> <tr><td style="background-color: #DC143C;">PIR</td><td>INFRA RED PERIMETER</td></tr> <tr><td style="background-color: #191970;">FDA</td><td>FIXED DOME MICROPHONE</td></tr> <tr><td style="background-color: #000080;">FE</td><td>FISHEYE LENS</td></tr> <tr><td style="background-color: #4682B4;">360</td><td>360 VIEW</td></tr> <tr><td style="background-color: #228B22;">28</td><td>2.8, 2.8-12, 5-50, : LENS SIZE IN MM</td></tr> <tr><td style="background-color: #ADD8E6;">IP</td><td>INTERNET PROTOCOL</td></tr> <tr><td style="background-color: #800080;">AIO</td><td>ANALOG HD (ALL IN ONE)</td></tr> <tr><td style="background-color: #800080;">CVT</td><td>COVERT CAMERA</td></tr> <tr><td style="background-color: #DC143C;">PTZ</td><td>PAN TILT ZOOM</td></tr> <tr><td style="background-color: #DC143C;">PIN</td><td>PINHOLE</td></tr> <tr><td style="background-color: #DC143C;">X</td><td>DETERRENCE, SPEAKER, MIC AND SIREN</td></tr> <tr><td style="background-color: #3CB371;">PAN</td><td>PANORAMIC 180°</td></tr> <tr><td style="background-color: #191970;">TV</td><td>TOTAL VIEW</td></tr> <tr><td style="background-color: #00CED1;">E</td><td>ECO - BASIC AI FEATURES</td></tr> </table>	D	DUAL VOLTAGE	Z	MOTORIZED LENS	VF	VARIFOCAL LENS	F	FIXED LENS	B	BLACK COLOR	M	MICROPHONE	AI	ARTIFICIAL INTELLIGENCE	L	LIMITED	PIR	INFRA RED PERIMETER	FDA	FIXED DOME MICROPHONE	FE	FISHEYE LENS	360	360 VIEW	28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM	IP	INTERNET PROTOCOL	AIO	ANALOG HD (ALL IN ONE)	CVT	COVERT CAMERA	PTZ	PAN TILT ZOOM	PIN	PINHOLE	X	DETERRENCE, SPEAKER, MIC AND SIREN	PAN	PANORAMIC 180°	TV	TOTAL VIEW	E	ECO - BASIC AI FEATURES	12MP
		D		DUAL VOLTAGE																																												
		Z		MOTORIZED LENS																																												
		VF		VARIFOCAL LENS																																												
		F		FIXED LENS																																												
		B		BLACK COLOR																																												
M	MICROPHONE																																															
AI	ARTIFICIAL INTELLIGENCE																																															
L	LIMITED																																															
PIR	INFRA RED PERIMETER																																															
FDA	FIXED DOME MICROPHONE																																															
FE	FISHEYE LENS																																															
360	360 VIEW																																															
28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM																																															
IP	INTERNET PROTOCOL																																															
AIO	ANALOG HD (ALL IN ONE)																																															
CVT	COVERT CAMERA																																															
PTZ	PAN TILT ZOOM																																															
PIN	PINHOLE																																															
X	DETERRENCE, SPEAKER, MIC AND SIREN																																															
PAN	PANORAMIC 180°																																															
TV	TOTAL VIEW																																															
E	ECO - BASIC AI FEATURES																																															
D2																																																
D3																																																
D6																																																
XD6																																																
XDD6																																																
EYEBALL	}	TEB	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="background-color: #FFD700;">D</td><td>DUAL VOLTAGE</td></tr> <tr><td style="background-color: #800040;">Z</td><td>MOTORIZED LENS</td></tr> <tr><td style="background-color: #32CD32;">VF</td><td>VARIFOCAL LENS</td></tr> <tr><td style="background-color: #9ACD32;">F</td><td>FIXED LENS</td></tr> <tr><td style="background-color: black; color: white;">B</td><td>BLACK COLOR</td></tr> <tr><td style="background-color: #696969;">M</td><td>MICROPHONE</td></tr> <tr><td style="background-color: #FF8C00;">AI</td><td>ARTIFICIAL INTELLIGENCE</td></tr> <tr><td style="background-color: #FFB6C1;">L</td><td>LIMITED</td></tr> <tr><td style="background-color: #DC143C;">PIR</td><td>INFRA RED PERIMETER</td></tr> <tr><td style="background-color: #191970;">FDA</td><td>FIXED DOME MICROPHONE</td></tr> <tr><td style="background-color: #000080;">FE</td><td>FISHEYE LENS</td></tr> <tr><td style="background-color: #4682B4;">360</td><td>360 VIEW</td></tr> <tr><td style="background-color: #228B22;">28</td><td>2.8, 2.8-12, 5-50, : LENS SIZE IN MM</td></tr> <tr><td style="background-color: #ADD8E6;">IP</td><td>INTERNET PROTOCOL</td></tr> <tr><td style="background-color: #800080;">AIO</td><td>ANALOG HD (ALL IN ONE)</td></tr> <tr><td style="background-color: #800080;">CVT</td><td>COVERT CAMERA</td></tr> <tr><td style="background-color: #DC143C;">PTZ</td><td>PAN TILT ZOOM</td></tr> <tr><td style="background-color: #DC143C;">PIN</td><td>PINHOLE</td></tr> <tr><td style="background-color: #DC143C;">X</td><td>DETERRENCE, SPEAKER, MIC AND SIREN</td></tr> <tr><td style="background-color: #3CB371;">PAN</td><td>PANORAMIC 180°</td></tr> <tr><td style="background-color: #191970;">TV</td><td>TOTAL VIEW</td></tr> <tr><td style="background-color: #00CED1;">E</td><td>ECO - BASIC AI FEATURES</td></tr> </table>	D	DUAL VOLTAGE	Z	MOTORIZED LENS	VF	VARIFOCAL LENS	F	FIXED LENS	B	BLACK COLOR	M	MICROPHONE	AI	ARTIFICIAL INTELLIGENCE	L	LIMITED	PIR	INFRA RED PERIMETER	FDA	FIXED DOME MICROPHONE	FE	FISHEYE LENS	360	360 VIEW	28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM	IP	INTERNET PROTOCOL	AIO	ANALOG HD (ALL IN ONE)	CVT	COVERT CAMERA	PTZ	PAN TILT ZOOM	PIN	PINHOLE	X	DETERRENCE, SPEAKER, MIC AND SIREN	PAN	PANORAMIC 180°	TV	TOTAL VIEW	E	ECO - BASIC AI FEATURES	8MP
		D		DUAL VOLTAGE																																												
Z	MOTORIZED LENS																																															
VF	VARIFOCAL LENS																																															
F	FIXED LENS																																															
B	BLACK COLOR																																															
M	MICROPHONE																																															
AI	ARTIFICIAL INTELLIGENCE																																															
L	LIMITED																																															
PIR	INFRA RED PERIMETER																																															
FDA	FIXED DOME MICROPHONE																																															
FE	FISHEYE LENS																																															
360	360 VIEW																																															
28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM																																															
IP	INTERNET PROTOCOL																																															
AIO	ANALOG HD (ALL IN ONE)																																															
CVT	COVERT CAMERA																																															
PTZ	PAN TILT ZOOM																																															
PIN	PINHOLE																																															
X	DETERRENCE, SPEAKER, MIC AND SIREN																																															
PAN	PANORAMIC 180°																																															
TV	TOTAL VIEW																																															
E	ECO - BASIC AI FEATURES																																															
XEB																																																
TURRET	}	T2	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="background-color: #FFD700;">D</td><td>DUAL VOLTAGE</td></tr> <tr><td style="background-color: #800040;">Z</td><td>MOTORIZED LENS</td></tr> <tr><td style="background-color: #32CD32;">VF</td><td>VARIFOCAL LENS</td></tr> <tr><td style="background-color: #9ACD32;">F</td><td>FIXED LENS</td></tr> <tr><td style="background-color: black; color: white;">B</td><td>BLACK COLOR</td></tr> <tr><td style="background-color: #696969;">M</td><td>MICROPHONE</td></tr> <tr><td style="background-color: #FF8C00;">AI</td><td>ARTIFICIAL INTELLIGENCE</td></tr> <tr><td style="background-color: #FFB6C1;">L</td><td>LIMITED</td></tr> <tr><td style="background-color: #DC143C;">PIR</td><td>INFRA RED PERIMETER</td></tr> <tr><td style="background-color: #191970;">FDA</td><td>FIXED DOME MICROPHONE</td></tr> <tr><td style="background-color: #000080;">FE</td><td>FISHEYE LENS</td></tr> <tr><td style="background-color: #4682B4;">360</td><td>360 VIEW</td></tr> <tr><td style="background-color: #228B22;">28</td><td>2.8, 2.8-12, 5-50, : LENS SIZE IN MM</td></tr> <tr><td style="background-color: #ADD8E6;">IP</td><td>INTERNET PROTOCOL</td></tr> <tr><td style="background-color: #800080;">AIO</td><td>ANALOG HD (ALL IN ONE)</td></tr> <tr><td style="background-color: #800080;">CVT</td><td>COVERT CAMERA</td></tr> <tr><td style="background-color: #DC143C;">PTZ</td><td>PAN TILT ZOOM</td></tr> <tr><td style="background-color: #DC143C;">PIN</td><td>PINHOLE</td></tr> <tr><td style="background-color: #DC143C;">X</td><td>DETERRENCE, SPEAKER, MIC AND SIREN</td></tr> <tr><td style="background-color: #3CB371;">PAN</td><td>PANORAMIC 180°</td></tr> <tr><td style="background-color: #191970;">TV</td><td>TOTAL VIEW</td></tr> <tr><td style="background-color: #00CED1;">E</td><td>ECO - BASIC AI FEATURES</td></tr> </table>	D	DUAL VOLTAGE	Z	MOTORIZED LENS	VF	VARIFOCAL LENS	F	FIXED LENS	B	BLACK COLOR	M	MICROPHONE	AI	ARTIFICIAL INTELLIGENCE	L	LIMITED	PIR	INFRA RED PERIMETER	FDA	FIXED DOME MICROPHONE	FE	FISHEYE LENS	360	360 VIEW	28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM	IP	INTERNET PROTOCOL	AIO	ANALOG HD (ALL IN ONE)	CVT	COVERT CAMERA	PTZ	PAN TILT ZOOM	PIN	PINHOLE	X	DETERRENCE, SPEAKER, MIC AND SIREN	PAN	PANORAMIC 180°	TV	TOTAL VIEW	E	ECO - BASIC AI FEATURES	5MP
		D		DUAL VOLTAGE																																												
		Z		MOTORIZED LENS																																												
		VF		VARIFOCAL LENS																																												
F	FIXED LENS																																															
B	BLACK COLOR																																															
M	MICROPHONE																																															
AI	ARTIFICIAL INTELLIGENCE																																															
L	LIMITED																																															
PIR	INFRA RED PERIMETER																																															
FDA	FIXED DOME MICROPHONE																																															
FE	FISHEYE LENS																																															
360	360 VIEW																																															
28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM																																															
IP	INTERNET PROTOCOL																																															
AIO	ANALOG HD (ALL IN ONE)																																															
CVT	COVERT CAMERA																																															
PTZ	PAN TILT ZOOM																																															
PIN	PINHOLE																																															
X	DETERRENCE, SPEAKER, MIC AND SIREN																																															
PAN	PANORAMIC 180°																																															
TV	TOTAL VIEW																																															
E	ECO - BASIC AI FEATURES																																															
T3																																																
XT2																																																
XT3																																																
BULLET	}	B2	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="background-color: #FFD700;">D</td><td>DUAL VOLTAGE</td></tr> <tr><td style="background-color: #800040;">Z</td><td>MOTORIZED LENS</td></tr> <tr><td style="background-color: #32CD32;">VF</td><td>VARIFOCAL LENS</td></tr> <tr><td style="background-color: #9ACD32;">F</td><td>FIXED LENS</td></tr> <tr><td style="background-color: black; color: white;">B</td><td>BLACK COLOR</td></tr> <tr><td style="background-color: #696969;">M</td><td>MICROPHONE</td></tr> <tr><td style="background-color: #FF8C00;">AI</td><td>ARTIFICIAL INTELLIGENCE</td></tr> <tr><td style="background-color: #FFB6C1;">L</td><td>LIMITED</td></tr> <tr><td style="background-color: #DC143C;">PIR</td><td>INFRA RED PERIMETER</td></tr> <tr><td style="background-color: #191970;">FDA</td><td>FIXED DOME MICROPHONE</td></tr> <tr><td style="background-color: #000080;">FE</td><td>FISHEYE LENS</td></tr> <tr><td style="background-color: #4682B4;">360</td><td>360 VIEW</td></tr> <tr><td style="background-color: #228B22;">28</td><td>2.8, 2.8-12, 5-50, : LENS SIZE IN MM</td></tr> <tr><td style="background-color: #ADD8E6;">IP</td><td>INTERNET PROTOCOL</td></tr> <tr><td style="background-color: #800080;">AIO</td><td>ANALOG HD (ALL IN ONE)</td></tr> <tr><td style="background-color: #800080;">CVT</td><td>COVERT CAMERA</td></tr> <tr><td style="background-color: #DC143C;">PTZ</td><td>PAN TILT ZOOM</td></tr> <tr><td style="background-color: #DC143C;">PIN</td><td>PINHOLE</td></tr> <tr><td style="background-color: #DC143C;">X</td><td>DETERRENCE, SPEAKER, MIC AND SIREN</td></tr> <tr><td style="background-color: #3CB371;">PAN</td><td>PANORAMIC 180°</td></tr> <tr><td style="background-color: #191970;">TV</td><td>TOTAL VIEW</td></tr> <tr><td style="background-color: #00CED1;">E</td><td>ECO - BASIC AI FEATURES</td></tr> </table>	D	DUAL VOLTAGE	Z	MOTORIZED LENS	VF	VARIFOCAL LENS	F	FIXED LENS	B	BLACK COLOR	M	MICROPHONE	AI	ARTIFICIAL INTELLIGENCE	L	LIMITED	PIR	INFRA RED PERIMETER	FDA	FIXED DOME MICROPHONE	FE	FISHEYE LENS	360	360 VIEW	28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM	IP	INTERNET PROTOCOL	AIO	ANALOG HD (ALL IN ONE)	CVT	COVERT CAMERA	PTZ	PAN TILT ZOOM	PIN	PINHOLE	X	DETERRENCE, SPEAKER, MIC AND SIREN	PAN	PANORAMIC 180°	TV	TOTAL VIEW	E	ECO - BASIC AI FEATURES	4MP
		D		DUAL VOLTAGE																																												
		Z		MOTORIZED LENS																																												
		VF		VARIFOCAL LENS																																												
F	FIXED LENS																																															
B	BLACK COLOR																																															
M	MICROPHONE																																															
AI	ARTIFICIAL INTELLIGENCE																																															
L	LIMITED																																															
PIR	INFRA RED PERIMETER																																															
FDA	FIXED DOME MICROPHONE																																															
FE	FISHEYE LENS																																															
360	360 VIEW																																															
28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM																																															
IP	INTERNET PROTOCOL																																															
AIO	ANALOG HD (ALL IN ONE)																																															
CVT	COVERT CAMERA																																															
PTZ	PAN TILT ZOOM																																															
PIN	PINHOLE																																															
X	DETERRENCE, SPEAKER, MIC AND SIREN																																															
PAN	PANORAMIC 180°																																															
TV	TOTAL VIEW																																															
E	ECO - BASIC AI FEATURES																																															
B7																																																
XB7																																																
XB8																																																
SPECIALITY	}	FE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="background-color: #FFD700;">D</td><td>DUAL VOLTAGE</td></tr> <tr><td style="background-color: #800040;">Z</td><td>MOTORIZED LENS</td></tr> <tr><td style="background-color: #32CD32;">VF</td><td>VARIFOCAL LENS</td></tr> <tr><td style="background-color: #9ACD32;">F</td><td>FIXED LENS</td></tr> <tr><td style="background-color: black; color: white;">B</td><td>BLACK COLOR</td></tr> <tr><td style="background-color: #696969;">M</td><td>MICROPHONE</td></tr> <tr><td style="background-color: #FF8C00;">AI</td><td>ARTIFICIAL INTELLIGENCE</td></tr> <tr><td style="background-color: #FFB6C1;">L</td><td>LIMITED</td></tr> <tr><td style="background-color: #DC143C;">PIR</td><td>INFRA RED PERIMETER</td></tr> <tr><td style="background-color: #191970;">FDA</td><td>FIXED DOME MICROPHONE</td></tr> <tr><td style="background-color: #000080;">FE</td><td>FISHEYE LENS</td></tr> <tr><td style="background-color: #4682B4;">360</td><td>360 VIEW</td></tr> <tr><td style="background-color: #228B22;">28</td><td>2.8, 2.8-12, 5-50, : LENS SIZE IN MM</td></tr> <tr><td style="background-color: #ADD8E6;">IP</td><td>INTERNET PROTOCOL</td></tr> <tr><td style="background-color: #800080;">AIO</td><td>ANALOG HD (ALL IN ONE)</td></tr> <tr><td style="background-color: #800080;">CVT</td><td>COVERT CAMERA</td></tr> <tr><td style="background-color: #DC143C;">PTZ</td><td>PAN TILT ZOOM</td></tr> <tr><td style="background-color: #DC143C;">PIN</td><td>PINHOLE</td></tr> <tr><td style="background-color: #DC143C;">X</td><td>DETERRENCE, SPEAKER, MIC AND SIREN</td></tr> <tr><td style="background-color: #3CB371;">PAN</td><td>PANORAMIC 180°</td></tr> <tr><td style="background-color: #191970;">TV</td><td>TOTAL VIEW</td></tr> <tr><td style="background-color: #00CED1;">E</td><td>ECO - BASIC AI FEATURES</td></tr> </table>	D	DUAL VOLTAGE	Z	MOTORIZED LENS	VF	VARIFOCAL LENS	F	FIXED LENS	B	BLACK COLOR	M	MICROPHONE	AI	ARTIFICIAL INTELLIGENCE	L	LIMITED	PIR	INFRA RED PERIMETER	FDA	FIXED DOME MICROPHONE	FE	FISHEYE LENS	360	360 VIEW	28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM	IP	INTERNET PROTOCOL	AIO	ANALOG HD (ALL IN ONE)	CVT	COVERT CAMERA	PTZ	PAN TILT ZOOM	PIN	PINHOLE	X	DETERRENCE, SPEAKER, MIC AND SIREN	PAN	PANORAMIC 180°	TV	TOTAL VIEW	E	ECO - BASIC AI FEATURES	2MP
		D		DUAL VOLTAGE																																												
		Z		MOTORIZED LENS																																												
VF	VARIFOCAL LENS																																															
F	FIXED LENS																																															
B	BLACK COLOR																																															
M	MICROPHONE																																															
AI	ARTIFICIAL INTELLIGENCE																																															
L	LIMITED																																															
PIR	INFRA RED PERIMETER																																															
FDA	FIXED DOME MICROPHONE																																															
FE	FISHEYE LENS																																															
360	360 VIEW																																															
28	2.8, 2.8-12, 5-50, : LENS SIZE IN MM																																															
IP	INTERNET PROTOCOL																																															
AIO	ANALOG HD (ALL IN ONE)																																															
CVT	COVERT CAMERA																																															
PTZ	PAN TILT ZOOM																																															
PIN	PINHOLE																																															
X	DETERRENCE, SPEAKER, MIC AND SIREN																																															
PAN	PANORAMIC 180°																																															
TV	TOTAL VIEW																																															
E	ECO - BASIC AI FEATURES																																															
QUAD																																																
PTZ																																																



NDAA COMPLIANT



ONVIF COMPLIANT



AI FEATURES

ALL OUR PRODUCTS ARE COMPLIANT



GSDGROUP.CA



T. 1 (866) 791-7020 | F. 1 (866) 936-0553



G-S-D-GROUP



G.S.D GROUP INC

2024 Global Surveillance Development, GSD Group and GSD are registered trademarks of Global Surveillance Development Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.