

SMART CATALOG

Q1 | 2024



YOUR SEAL OF TRUST





TABLE OF CONTENTS

THE G.S.D. ADVANTAGE	3	MOTORIZED LENS ANALOG CAMERAS	23
OUR AI DETECTION LISTED	4	SPECIALITY ANALOG	24
SMART HOME INTEGRATION	5	DVRS	25
WIFI USB DONGLE	6	HD ANALOG ACCESSORIES	26
X SERIES CAMERAS	7	KITS	27
RETAIL STORE SOLUTIONS	8	WIRELESS	28
MANAGED SWITCH	9	NETWORK ACCESSORIES	29
TOTALVIEW CAMERA	10	MOUNTING ACCESSORIES	30
SPEAKERS	11	POE SWITCHES	31
MOBILE APP	12	SPEAKERS	32
VMS SOFTWARE	13	SPECIAL ORDERS	33
VMS COMPATIBILITY	14	PVMS	34
FIXED NETWORK CAMERAS	15	NEW PRODUCTS	35
MOTORIZED NETWORK CAMERAS	17	COMING SOON	36
SPECIALITY IP NETWORK CAMERAS	19	ACCESSORY COMPATIBILITY	37
NVRS	21	MODEL CHART	38
FIX LENS ANALOG CAMERAS	22		

SECURE YOUR WORLD: DISCOVER THE G.S.D ADVANTAGE



ARTIFICIAL INTELLIGENCE

We take pride in providing a diverse suite of cutting-edge AI detection solutions, encompassing over 14 distinct types, each meticulously developed to deliver a remarkable accuracy rate of 92%.



WARRANTY

Our products come with up to 3 years of warranty assurance, demonstrating our confidence in the durability and performance of our solutions. In the rare event of issues, our team of experts is ready to deliver prompt assistance.



TEAM OF EXPERTS

We understand the integrator's journey. Our team of dedicated professionals have a strong security background, years of experience and are committed to providing tailored support, from selecting the ideal security solution to expert installation guidance.



PROJECT ASSISTANCE

Our experts are ready to collaborate with you, guiding you through the customization of floor plans and optimal device placement. Elevate your security measures with confidence, ensuring comprehensive coverage and maximum effectiveness.



LOGISTICS

Time is critical in the deployment of projects, and we prioritize delivery efficiency. Our dedicated team ensures stable stock availability and works closely with our distribution channel in order to optimize the availability of our products, ensuring your orders arrive promptly.



CUTTING-EDGE TECHNOLOGY SOLUTIONS

At the forefront of technology, we offer integrators access to cutting-edge solutions. Our commitment to innovation ensures that you can provide your customers with state-of-the-art video monitoring systems, staying ahead of industry trends and meeting the evolving needs of modern projects.

THE ADVANTAGES OF AI - UNLEASHING THE POSSIBILITIES



HUMAN DETECTION

DETECTS AND FOLLOWS HUMAN MOVEMENT UP TO 150FT. GET NOTIFIED AS SOON AS A HUMAN IS DETECTED ON YOUR PROPERTY.



VEHICLE DETECTION

DETECTS AND FOLLOWS VEHICLE MOVEMENT UP TO 250FT. GET NOTIFIED AS SOON AS A VEHICLE IS DETECTED ON YOUR PROPERTY.



FACE RECOGNITION

IDENTIFY FACES WITH CERTAIN ATTRIBUTES. GET NOTIFIED WHEN A SPECIFIED FACE IS DETECTED OR TRACK ALL THE TIMES AN INDIVIDUAL HAS BEEN DETECTED.



LICENCE PLATE DETECTION

IDENTIFIES UP TO 200,000 LICENCE PLATES OF STILL AND MOVING VEHICLES. SEARCH A LICENSE PLATE TO SEE ITS DETECTION HISTORY.



PERIMETER INTRUSION DETECTION

SELECT A FRAME IN YOUR CAMERA - ANY MOVEMENT WITHIN THAT FRAME WILL BE DETECTED.



LINE CROSSING DETECTION

INSTANTLY DETECT ANY MOTION ON A PRE-DEFINED VIRTUAL LINE



CROSS COUNTING

COUNT HOW MANY HUMANS, VEHICLES OR NON-MOTORIZED VEHICLES CAME IN AND OUT OF A SELECTED FRAME.



QUEUE LENGTH DETECTION

DETECT WHEN LARGE QUEUES ARE FORMED AND GET NOTIFIED AFTER A SPECIFIED AMOUNT OF PEOPLE ARE DETECTED



HEAT MAP FEATURE

DETECT TRENDS AND PATTERNS IN MOVEMENT



STATIONARY OBJECT DETECTION

DETECTS MOVEMENT OF A LOST OBJECT IN A SELECTED FRAME



CROWD DENSITY DETECTION

IDENTIFY PEAK HOURS AND VISITOR TRAFFIC PATTERNS WITH OUR PEOPLE-COUNTING FEATURE.



RARE SOUND DETECTION

MIC NEEDED ON CAMERA. GET NOTIFIED WHEN THE MIC DETECTS GUNSHOTS, A BABY CRYING, OR DOGS BARKING.



SMART HOME INTEGRATION

OUR SMART HOME FEATURES ALLOW YOU TO MANAGE YOUR BUSINESS WITH THE CLICK OF A BUTTON!

YOU CAN USE YOUR GOOGLE AUDIO ASSISTANT TO CONTROL YOUR NVR.

Anytime, anywhere, with almost any device

Automatically backup your data

SUPPORTED WITH VOICE ASSISTANT FEATURE

"Show the office camera on X TV"

"Is the office camera on?"



INTEGRATION COMPATIBILITY:



NO WIRES NEEDED!
CONNECTS
AUTOMATICALLY!
WPS FUNCTION



#USBD-WIFI

USB WIFI DONGLE

CONNECT YOUR RECORDER TO A WIFI NETWORK



RECORDER



WIFI ROUTER

UNIVERSAL PoE DUAL-CAMERA BRACKET ON 1 WIRE



FEATURES

- USE 1 WIRE ONLY FOR 2 CAMERAS
- WITH BUILT-IN 2 POE PORTS
- NO CONFIGURATION NEEDED
- COMPATIBLE WITH 3RD PARTY CAMERAS
- WALL MOUNT INSTALLATION
- JUNCTION BOX INSTALLATION
- MOUNTED ON WALL OR CEILING
- INDOOR & OUTDOOR USE



ACTIVE DETERRENCE SOLUTIONS WITH X SERIES CAMERAS



DETERRENCE LIGHTS

Red and blue lights activated when AI detection is triggered



VOICE PROMPTS

Activate the siren or a pre-recorded message through AI detection or through our APP or VMS



5MP/8MP RESOLUTION

Experience ultra high definition with our 2k or 4k resolutions



SEE COLOUR AT NIGHT

TotalView will bring you full colour images up to 35m



AI FEATURES

Take advantage of our AI features to reduce false detections up to 92%



EDGE RECORDING

Use the on-board storage to record up to 3 months with your 256GB SD card



TWO-WAY COMMUNICATION

With the SmartGuardian app, use the embedded or external microphone & speaker



P2P CLOUD CONNECTION

Scan your QR code & instantly connect without any port forwarding through a web port



INSTANT NOTIFICATIONS

Get notified for alarms such as AI detection, motion detection, I/O activation, or system failure

#SPK-30W-12V

NO EXTRA WIRE NEEDED



POWERED BY CAMERA

- 1 POWER
- 2 RCA OUTPUT



XB7ZATV2812IP5MP-AI
XB8ZATV2812IP8MP-AI

XEBATVIP5MP28-AI-L-64G
XEBATVIP8MP28-AI-L-64G

XD6Z2812TVIP5MP-AI
XD6Z2812TVIP8MP-AI

XT3ZTV2812IP5MP-AI
XT3ZTV2812IP8MP-AI

XB7FPAN2812IP8MP-AI



#XB7ZATV2812IP5MP-AI
#XB8ZATV2812IP8MP-AI

EXPERIENCE SEAMLESS TWO-WAY COMMUNICATION BY USING OUR SMART GUARDIAN APP OR THE VMS PRO

#MON-PVM22



#MON-PVM10



PIR CAMERA DETERRENCE LIGHTS

- IK7 TEMPERED GLASS
- CUSTOMIZABLE DISPLAY
- WIFI & RJ45 CONNECTION
- DC 12/24V OR POE POWERED
- CUSTOM ADVERTISEMENT DEPLOY VIA MANAGEMENT SOFTWARE
- RECORD DIRECTLY ON LOCAL NVR OR OPTIONAL 1TB SD CARD
- BUILT TO RUN 24/7 OR WITH CUSTOMIZED WORK SCHEDULE



CONNECTS TO ANY TV DIRECTLY WITH THE HDMI CABLE!



HDMI IP CAMERA

5MP RESOLUTION

DC12V OR POE

2.8MM LENS

CUSTOM DETERRENCE MESSAGE

HDMI™ CABLE

#D3F28IP5MP

MANAGED SWITCH

MANAGE YOUR DEVICES DIRECTLY FROM OUR VMS SOFTWARE



TOPOLOGICAL DIAGRAM ON VMS PRO

View where your camera is located on the diagram (which port on which switch) Save time by quickly locating the issue on your network



DEVICE MONITORING

Live monitoring on the status of your devices, local and global power usage per port, instant & alarm notifications when a camera is down



P2P CLOUD

Easily and securely connect your devices. Simply scan the P2P QR code on your device, and start monitoring



VISUAL MANAGEMENT THROUGH THE VMS

Manage your devices directly through your switch using our Video Management Software, restart the camera directly from your PoE switch



REAL TIME NOTIFICATIONS

Receive instant notification alerts on the app



RED PORT PRIORITY

High priority ports that prioritize device data transmission



MAX 10 LEVELS OF CASCADES

View up to 10 switches as a diagram



EXTENDED TRANSMISSION UP TO 250M

Extended power transmission up to 250m with extension mode


SWC5POE-MAN



SWC9POE-MAN



SWC18POE-MAN



TOTAL VIEW CAMERA



AI HUMAN &
VEHICLE DETECTION



REAL-TIME
NOTIFICATIONS

**TOTAL VIEW MODE PRESENTS
BRILLIANT COLORFUL IMAGES
IN COMPLETE DARKNESS**



Normal Camera
(with IR LED's on @ 0 lux)

TotalView Camera
(with IR LED's on @ 0 lux)



WHITE LIGHT / IR
DUAL LEDs



WARNING
LIGHT

SCHEDULE MODE ALLOWS YOU TO PROGRAM YOUR SPECIFIC NEEDS



TEBFTV28AI0-5MP TEBFDATVIP5MP28-AI
TEBFTV28AI0-5MP-B TEBFDATVIP5MP28-AI-B

EX-IR LEDS

Lighted only in Day/Night mode

F1.0 SUPER APERTURE

F1.0 super aperture collects more light to produce brighter images. (F1.2 for varifocal lens) 4x amount of light of conventional cameras.

ADVANCED SENSOR

Vastly improves the utilization of available light. Self-adaptive 3D Digital Noise Reduction to remove noise and ensure full motion video.

WHITE LIGHT LEDS

Supply plenty of lights in Total View mode. Available to turn to warning lights in Day/Night mode.



DISCOVER OUR NEW SPEAKERS

#SPK-30W-12V



30W OUTPUT

BUILT-IN CLASS-D AMPLIFIER

WORKS WITH IP CAMS WITH RCA INPUT

STARTUP IN LESS THAN 1S

12-24V POWERED

**OUR
SPEAKERS
CAN BE
POWERED
BY YOUR
CAMERA,
ENSURING
EFFICIENT AND
HASSLE-FREE
INSTALLATION.**



POWERED BY CAMERA

- ① RCA OUTPUT
- ② POWER
- ③ AUDIO OUTPUT

#SPK-IP30W-POE

POWERED BY 30W OUTPUT POE / 12-24V

PRE-RECORDED MESSAGES

BUILT-IN MIC AND SD CARD SLOT

STARTUP IN LESS THAN 1S

TALK THROUGH MOBILE OR VMS

COMPATIBLE WITH 3RD PARTY
VMS AND SIP PROTOCOLS

INTUITIVE UI

MOBILE APP

LIVE VIEW

VIEW UP TO 16 CHANNELS
SIMULTANEOUSLY



FAVORITE

CREATE YOUR CUSTOM LIST
FROM DIFFERENT CAMERAS

SEARCH


SELECT UP TO 16 CAMERAS FOR INSTANT SEARCH

AI SEARCH

SEARCH BY HUMAN OR VEHICLE
WITH SPECIFIC DATE FRAME
FACIAL RECOGNITION

PUSH NOTIFICATION

SELECT WHICH NOTIFICATION TO RECEIVE
MOTION / ALARM / HUMAN & VEHICLE DETECTION
FACIAL / HDD ERROR / VIDEO LOST




2 WAY AUDIO
LISTEN OR SPEAK THROUGH THE APP

ALARM
TRIGGER YOUR ALARM RELAYS,
DETERRENCE LIGHTS, AND SIREN

RECORD
RECORD ON MOBILE
DEVICE SNAPSHOT
OR VIDEO FILES

SAVE & SHARE
EASILY SAVE & SHARE FILES

REMOTE CONFIGURATION
ACCESS EACH DEVICE SETUP REMOTELY
WITH FULL ACCESS



MAIN FEATURES

- Multiple live view windows (up to 400 cameras)
- Set up and manage up to 250 devices
- Fast playback with AI features
- Limit access through multiple user accounts
- P2P connection with an easy serial code
- Easy backup in avi or mpeg4 format
- Auto-login features with saved layout
- Search by statistics

REMOTE CONFIGURATION

- Access each device setup remotely with full access
- Enable quick and easy updates to devices or software
- Manage a large number of devices or software instances



LIVE VIEW

- Live view up to 128 channel per windows
- Digital or motorized zoom in any camera
- Create a favorite from different site
- Auto show of the camera when vms start
- 24 different division view type
- Two way audio (listen & talk)
- Real time alarm notification (human, vehicle, input trigger)



E-MAPPING

- Easily locate your cameras
 - Upload your floor plan
- Assign cameras to areas of your floor plan
 - Easily monitor your store
- Get alarm notifications through the floor plan



EASY REMOTE PLAYBACK

- Search by time / date
- Synchronous or single playback
- Digital zoom on each camera
- Set your main or sub bandwidth
- Backup in avi, RF or mpeg4 files
- Smart search by ROI



SCENE REPORTS

- Artificial intelligence application based on cross-counting function that helps to control the number of customers/visitors/vehicles attending public places
- Record the attendance of faces, humans, motor vehicles, and non-motor vehicles in real time
- Configure your settings to receive daily, weekly, monthly, and yearly attendance reports by email
 - Count and view real-time results by group.



SAVE TIME ON YOUR EVENT SEARCH WITH A.I

- Search by human or vehicle detection
- Search by Facial Recognition
- AI search available on all channel simultaneously
- Set a time frame
- Backup picture in avi, RF or mpeg4 format
- AI advanced search
- Search by licence plate



STATISTICS VIEWER

- View statistics for: facial detection, human and vehicle detection, cross counting, heat map, repeated visitor
- Filter statistics by day, week, month, quarter, year
 - Export as excel file



RECURRING VISITOR TRACKER

- Search by Facial Recognition
- AI search available on all channel simultaneously
- Set a time frame
- Backup picture in avi, RF or mpeg4 format
- AI advanced search



VMS ONVIF COMPATIBILITY

THE MOST **OPEN** SYSTEM
ONVIF® MEMBER



PLEASE VISIT WWW.GSDGROUP.CA FOR THE FULL COMPATIBILITY CHART WITH THEIR FUNCTION LIMITATIONS

YOUR SEAL OF TRUST  GSDGROUP.CA

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

EYEBALL
XEBATV15MP28-AI-L-64G
XEBATV15MP28-AI-L-B-64G
TOTAL VIEW



5MP
LENS 2.8MM
IR 30M
LUX 0.002

NDAAs Compliant

OPTION
✓ DETERRENCE LIGHTING
✓ 64GB SD CARD INCLUDED
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

POE	7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB6 +TEBBASE1-G OR WMB2
JUNCTION BOX: TEBBASE1

-30~+55°C IP66

EYEBALL
XEBATV18MP28-AI-L-64G
XEBATV18MP28-AI-L-B-64G
TOTAL VIEW



8MP
LENS 2.8MM
IR 25M
LUX 0.007

NDAAs Compliant

OPTION
✓ DETERRENCE LIGHTING
✓ 64GB SD CARD INCLUDED
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

POE	7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB6 +TEBBASE1-G OR WMB2
JUNCTION BOX: TEBBASE1

-30~+55°C IP66

EYEBALL
XEBATV18MP28-AI-64G
XEBATV18MP28-AI-B-64G
TOTAL VIEW



8MP
LENS 2.8MM
IR 25M
LUX 0.007

NDAAs Compliant

OPTION
✓ DETERRENCE LIGHTING
✓ 64GB SD CARD INCLUDED
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

POE	7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB6 +TEBBASE1-G OR WMB2
JUNCTION BOX: TEBBASE1

-30~+55°C IP66 **COMING SOON**

EYEBALL
TEBFDAIP8MP28-AI
TEBFDAIP8MP28-AI-B



8MP
LENS 2.8MM
IR 20M
LUX 0.009

NDAAs Compliant

OPTION
✓ MICROPHONE
✓ SD CARD UP TO 256GB

POE	5.5W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE/BLACK

WALL SUPPORT: WMB6 +TEBBASE1-G OR WMB2
JUNCTION BOX: TEBBASE1

-30~+55°C IP66

EYEBALL
TEBFDAIP5MP28-AI-L
TEBFDAIP5MP28-AI-L-B



5MP
LENS 2.8MM
IR 20M
LUX 0.004

NDAAs Compliant

OPTION
✓ MICROPHONE
✓ SD CARD UP TO 256GB

POE	5.5W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE/BLACK

WALL SUPPORT: WMB6 +TEBBASE1-G OR WMB2
JUNCTION BOX: TEBBASE1

-30~+55°C IP66

EYEBALL
TEBFDATVIP5MP28-AI
TEBFDATVIP5MP28-AI-B
↑ | ↓ **TOTAL VIEW**



5MP
LENS 2.8MM
IR 30M
LUX 0.09

NDAAs Compliant


OPTION
✓ BUILT-IN MICROPHONE TOTAL VIEW
✓ SD CARD UP TO 256GB

POE	7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE/BLACK

WALL SUPPORT: WMB6 +TEBBASE1-G OR WMB2
JUNCTION BOX: TEBBASE1

-30~+55°C IP66

EYEBALL
TEBFDAIP8MP28-AI-L
TEBFDAIP8MP28-AI-L-B



8MP
LENS 2.8MM
IR 20M
LUX 0.009

NDAAs Compliant

OPTION
✓ MICROPHONE
✓ SD CARD UP TO 256GB

POE	5.5W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE/BLACK

WALL SUPPORT: WMB6 +TEBBASE1-G OR WMB2
JUNCTION BOX: TEBBASE1

-30~+55°C IP66

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

MINI DOME

D2FDA28IP5MP-AI



5MP

LENS
2.8MM

IR
30M

LUX
0.05

OPTION

- ✓ IMPACT RESISTANT
- ✓ ALARM/AUDIO IN/OUT
- ✓ MICRO SD CARD UP TO 256GB



POE	5.5W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT : D2BASE1-G + WMB6 OR CMB6
JUNCTION BOX : D2BASE1 OR WMB2

-30~+55°C IP67 / IK10

MINI DOME

D2FDA28IP5MP-AI-L



5MP

LENS
2.8MM

IR
20M

LUX
0.004



OPTION

- ✓ MICROPHONE
- ✓ SD CARD UP TO 256GB



POE	5W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT : WMB6 + EB3BASE4-G OR WMB5
JUNCTION BOX : D2BASE1

-30~+55°C IP66

MINI FLAT DOME

FLF28D5MP-AI



5MP

LENS
2.8MM

IR
20M

LUX
0.004



OPTION

- ✓ MICROPHONE



POE	3W / 4.5W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT : WMB2
JUNCTION BOX : D2BASE1

-30~+55°C

TURRET

T2IP5MP28-L-N
METAL



5MP

LENS
2.8MM

IR
30M

LUX
0.1

OPTION

- ✓ AUDIO IN/OUT



POE	5W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT : WMB6 + EB3BASE4-G OR WMB5
JUNCTION BOX : EB3BASE4

-30~+55°C IP66

TURRET

T2IP8MP28-L-N



8MP

LENS
2.8MM

IR
20M

LUX
0.1

OPTION

- ✓ AUDIO IN/OUT



POE	5W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT : WMB6 + EB3BASE4-G OR WMB5
JUNCTION BOX : EB3BASE4

-30~+55°C IP66



FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

BULLET
B7Z2812IP5MP-AI-N



5MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.05

NDAA Compliant

OPTION
✓ ALARM IN/OUT
✓ AUDIO IN/OUT
✓ VOICE PROMPTS
✓ SD CARD UP TO 256GB

POE	9.5W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: INCLUDED
JUNCTION BOX: B6BASE1
-30~+55°C IP66

Onvif

BULLET
B7Z2812IP8MP-AI



8MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.1

NDAA Compliant

OPTION
✓ ALARM IN/OUT
✓ AUDIO IN/OUT
✓ VOICE PROMPTS
✓ SD CARD UP TO 256GB

POE	10W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: INCLUDED
JUNCTION BOX: B6BASE1
-30~+55°C IP66

Onvif

BULLET
XB7ZATV2812IP5MP-AI
TOTAL VIEW



5MP
MOTORIZED LENS 2.8-12MM
IR 50M
LUX 0.002

NDAA Compliant

OPTION
✓ VOICE PROMPTS
✓ DETERRENCE LIGHTING
✓ SEE IN COLOUR AT NIGHT
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN


POE	10.3W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: INCLUDED
JUNCTION BOX: B6BASE1
-35~+60°C IP67

NEW

Onvif

BULLET
XB8ZATV2812IP8MP-AI
TOTAL VIEW



8MP
MOTORIZED LENS 2.8-12MM
IR 50M
LUX 0.007

NDAA Compliant

OPTION
✓ VOICE PROMPTS
✓ DETERRENCE LIGHTING
✓ SEE IN COLOUR AT NIGHT
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN


POE	8.9W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: N/A
JUNCTION BOX: B6BASE1
-35~+60°C IP66

NEW

Onvif

DOME
XD6ZTV2812IP5MP-AI
TOTAL VIEW



5MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.002

NDAA Compliant

OPTION
✓ VOICE PROMPTS
✓ DETERRENCE LIGHTING
✓ SEE IN COLOUR AT NIGHT
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN


POE	6.3W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3 OR WMB5
JUNCTION BOX: EB3BASE3
-35~+60°C IP67

NEW

Onvif

DOME
XD6ZTV2812IP8MP-AI
TOTAL VIEW



8MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.007

NDAA Compliant

OPTION
✓ VOICE PROMPTS
✓ DETERRENCE LIGHTING
✓ SEE IN COLOUR AT NIGHT
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN


POE	9.2W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3 OR WMB5
JUNCTION BOX: EB3BASE3
-35~+60°C IP66

NEW

Onvif

TURRET
XT3ZTV2812IP5MP-AI
TOTAL VIEW



5MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.002

NDAA Compliant

OPTION
✓ VOICE PROMPTS
✓ DETERRENCE LIGHTING
✓ SEE IN COLOUR AT NIGHT
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN


POE	5.7W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX: EB3BASE3
-35~+60°C IP67

NEW

Onvif

TURRET
XT3ZTV2812IP8MP-AI
TOTAL VIEW



8MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.007

NDAA Compliant

OPTION
✓ VOICE PROMPTS
✓ DETERRENCE LIGHTING
✓ SEE IN COLOUR AT NIGHT
✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

POE	6.9W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX: TEBBASE1
-35~+60°C IP66

NEW

Onvif

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP NVRS

DOME

D6Z2812IP5MP-AI-L



5MP
MOTORIZED LENS 2.8-12MM
IR 30M
LUX 0.004

OPTION
 ✓ TRUE WDR
 ✓ IMPACT RESISTANT
 ✓ ALARM/AUDIO IN/OUT
 ✓ MICRO SD CARD UP TO 256GB

POE	7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT : WMB6 + EB3BASE3-G OR CMB6
 JUNCTION BOX : EB3BASE3

-35~+60°C IP67 / IK10

DOME

D6Z2812IP5MP-AI-B



5MP
MOTORIZED LENS 2.8-12MM
IR 30M
LUX 0.05

OPTION
 ✓ ALARM IN/OUT
 ✓ AUDIO IN/OUT
 ✓ VOICE PROMPTS
 ✓ SD CARD UP TO 256GB

POE	7.5W	CODEC	H264/H265
WDR	120DB	COLOR	BLACK

WALL SUPPORT: WMB6 + EB3BASE3 OR WMB5
 JUNCTION BOX: EB3BASE3

-30~+55°C IP66

DOME

D6Z2812IP8MP-AI



8MP
MOTORIZED LENS 2.8-12MM
IR 30M
LUX 0.1

OPTION
 ✓ ALARM IN/OUT
 ✓ AUDIO IN/OUT
 ✓ VOICE PROMPTS
 ✓ SD CARD UP TO 256GB

POE	7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3 OR WMB5
 JUNCTION BOX: EB3BASE3

-30~+55°C IP66

MINI DOME

D2Z288IP5MP-AI



5MP
MOTORIZED LENS 2.8-8MM
IR 29M
LUX 0.004

OPTION
 ✓ MICROPHONE
 ✓ SD CARD UP TO 256GB

POE	5W	CODEC	264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT : WMB6 + EB3BASE4-G OR WMB5
 JUNCTION BOX : D2BASE1

-30~+55°C IP66

TURRET

T3Z2812IP5MP-AI



5MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.01

OPTION
 ✓ VOICE PROMPTS
 ✓ ALARM IN/OUT
 ✓ AUDIO IN/OUT
 ✓ SD CARD UP TO 256GB

POE	7.9W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
 JUNCTION BOX: EB3BASE3

-30~+55°C IP66

TURRET

T3Z2812IP5MP-AI-L-B



5MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.004

OPTION
 ✓ VOICE PROMPTS
 ✓ ALARM IN/OUT
 ✓ AUDIO IN/OUT
 ✓ SD CARD UP TO 256GB

POE	9W	CODEC	H264/H265
WDR	120DB	COLOR	BLACK

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
 JUNCTION BOX: EB3BASE3

-30~+55°C IP66

TURRET

T3Z2812IP8MP-AI



8MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.1

OPTION
 ✓ VOICE PROMPTS
 ✓ ALARM IN/OUT
 ✓ AUDIO IN/OUT
 ✓ SD CARD UP TO 256GB

POE	10W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
 JUNCTION BOX: EB3BASE3

-30~+55°C IP66

FIXED CAMERAS


MOTORIZED CAMERAS

SPECIALITY IP

NVRS

FISHEYE

FE360IP12MP



12MP
LENS 1.6MM
IR 10M
LUX 0.01

OPTION
✓ TWO-WAY COMMUNICATION
✓ MICRO SD CARD UP TO 256GB

POE	9.6W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT : FEBASE-G + WMB6 OR CMB6
JUNCTION BOX : FEBASE

-30~+60°C IP66

HDMI IP DOME

D3F28IP5MP



5MP
LENS 2.8MM
IR 20M
LUX 0.05

OPTION
✓ HDMI OUTPUT
✓ AUDIO IN/OUT
✓ ALARM IN/OUT
✓ SD CARD UP TO 256GB

POE	9W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB2
JUNCTION BOX: D2BASE1

-30~+45°C IP66 **NEW SPECIAL ORDER**

BULLET 180°

XB7FPAN20IP8MP-AI

8MP
LENS 2.0MM
IR 25M
LUX 0.007

OPTION
✓ PANORAMIC
✓ VOICE PROMPTS
✓ MICROPHONE & SPEAKER
✓ DETERRANCE & SIREN

POE	12W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT : N/A
JUNCTION BOX : TEBBASE1

-30~+55°C IP66

BULLET

B7Z550IP8MP-AI



8MP
MOTORIZED LENS 5-50MM
IR 80M
LUX 0.009

OPTION
✓ ALARM IN/OUT
✓ AUDIO IN/OUT
✓ VOICE PROMPTS
✓ SD CARD UP TO 256GB


POE	10W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: INCLUDED
JUNCTION BOX: N/A

-30~+60°C IP67

PTZ

PTZ33XIP5MP-AI-N



5MP
MOTORIZED LENS 4.3-142MM
IR 150M
LUX 0.003

OPTION
✓ STARLIGHT
✓ 360° LONG RANGE
✓ 33X OPTICAL ZOOM
✓ ALARM/AUDIO IN/OUT
✓ MICRO SD CARD UP TO 256GB

POE	25.6W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT : INCLUDED
JUNCTION BOX : N/A

-30~+60°C IP66

PTZ

PTZ4XIP8MP-AI



8MP
MOTORIZED LENS 2.8-12MM
IR 30M
LUX 0.009

OPTION
✓ AI MIC SPEAKER
✓ STROBE DETERRANCE
✓ SD CARD UP TO 256GB

POE	13W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED
JUNCTION BOX: N/A

-30~+55°C IP66

PTZ

PTZD4XIP4MP-AI



4MP
LENS 2.8-12MM
IR 20M
LUX 0.001

OPTION
✓ SPEAKER
✓ MICROPHONE
✓ SD CARD UP TO 256GB

POE	YES / 12V	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB5
JUNCTION BOX: N/A

-30~+60°C IP66

QUAD

QUADZ2812IP32MP-AI

32MP
MOTORIZED LENS 4 X 2.8-12MM
IR 35M
LUX 0.006

OPTION
✓ VOICE PROMPTS
✓ 360° CUSTOM VIEW
✓ AUDIO-ALARM IN/OUT
✓ 60 W INJECTOR INCLUDED
✓ 35M COLOR VIEW DISTANCE

POE	43W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: INCLUDED
JUNCTION BOX: N/A

-35~+60°C IP66

FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

PANORAMIC BALL
XT2FPAN20IP8MP-AI
TOTAL VIEW



OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

8MP

LENS
2.0MM

IR
30M

LUX
0.002



POE	TBD	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX: EB3BASE3

-35~+60°C IP67

COMING SOON

DUAL LENS
XT3FPAN20IP8MP-AI
TOTAL VIEW



OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

2x4MP

LENS
2x2.8MM

IR
30M

LUX
0.002



POE	5.7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX: EB3BASE3

-35~+60°C IP67

COMING SOON

THERMAL BULLET
B7T4IP5MP-AI
TOTAL VIEW



OPTION

- ✓ TEMPERATURE MEASUREMENT
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

5MP

LENS
3.2MM

IR
40M

LUX
0.001



POE	TBD	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX: EB3BASE3

-35~+60°C IP66

COMING SOON



FIXED CAMERAS

MOTORIZED CAMERAS

SPECIALITY IP

NVRS

NVR
GSD-NVRFNC4K-04-N



- 12MP
- X4 CHANNEL
- X1 HDD
- 40 BANDWITH



POE	4	CODEC	H264/H265
ALARM	X	FORMAT	1U

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN

NVR
GSD-NVRFNC4K-08-N



- 12MP
- X8 CHANNEL
- X1 HDD
- 60 BANDWITH



POE	8	CODEC	H264/H265
ALARM	X	FORMAT	1U

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN

NVR
GSD-NVRFNC4K-16-N



- 12MP
- X16 CHANNEL
- X2 HDD
- 168 BANDWITH



POE	16	CODEC	H264/H265
ALARM	16	FORMAT	1U

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN

NVR
GSD-NVRFNC4K-32NP-N



- 12MP
- X32 CHANNEL
- X8 HDD
- 640 BANDWITH



POE	N/A	CODEC	H264/H265
ALARM	16	FORMAT	1U

VIDEO OUT APP 2X HDMI 4K VGA 1080P SMART GUARDIAN

NVR
GSD-NVRFNC4K-64NP-N



- 12MP
- X64 CHANNEL
- X8 HDD
- 640 BANDWITH



POE	N/A	CODEC	H264/H265
ALARM	16	FORMAT	2U

VIDEO OUT APP 4X HDMI 4K VGA 1080P SMART GUARDIAN

NVR
GSD-NVRFNC4K-256-NP



- 12MP
- X256 CHANNEL
- X16 HDD
- 1G BANDWITH



POE	N/A	CODEC	H264/H265
ALARM	16	FORMAT	3U

VIDEO OUT APP 4X HDMI 4K VGA 1080P SMART GUARDIAN



FIX LENS

MOTORIZED

DVRS

SPECIALITY ANALOG

HD ANALOG ACCESSORIES

EYEBALL

TEBF28A10-5MP
TEBF28A10-5MP-B



5MP

LENS
2.8MM

IR
20M

LUX
0.04



OPTION

- ✓ MICROPHONE
- ✓ TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE OR BLACK

WALL SUPPORT : WMB6 + TEBBASE1 OR WMB2
JUNCTION BOX : TEBBASE1-G

-30~+55°C 🏠/🌿 IP66

EYEBALL

TEBF28A10-8MP
TEBF28A10-8MP-B



8MP

LENS
2.8MM

IR
20M

LUX
0.06



OPTION

- ✓ MICROPHONE
- ✓ TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE OR BLACK

WALL SUPPORT : WMB6 + TEBBASE1 OR WMB2
JUNCTION BOX : TEBBASE1-G

-30~+55°C 🏠/🌿 IP66

EYEBALL

TEBFTV28A10-5MP
TEBFTV28A10-5MP-B
TOTAL VIEW



5MP

LENS
2.8MM

IR
30M

LUX
0.001

OPTION

- ✓ ANALOG CAMERA WITH BUILT-IN MICROPHONE

POE	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	90DB	COLOR	WHITE/BLACK

WALL SUPPORT : WMB6 + TEBBASE1-G OR WMB2
JUNCTION BOX : TEBBASE1

-30~+55°C 🏠/🌿 IP66

EYEBALL

EB2FD28TVI-5MP
EB2FD28TVI-5MP-B



5MP

LENS
2.8MM

IR
20M

LUX
0.01



OPTION

- ✓ TVI-CVI-AHD-960H

POWER	12V	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE OR BLACK

WALL SUPPORT : WMB2
JUNCTION BOX : EB2BASE

-10~+50°C 🏠/🌿 IP66

TURRET

T2F28A10-5MP



5MP

LENS
2.8MM

IR
20M

LUX
0.04



OPTION

- ✓ TVI-CVI-AHD-960H

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT : WMB2 + EB3BASE4-G OR WMB5
JUNCTION BOX : EB3BASE4

-30~+55°C 🏠/🌿 IP66

TURRET

T2F28A10-8MP



8MP

LENS
2.8MM

IR
20M

LUX
0.05



OPTION

- ✓ TVI-CVI-AHD-960H

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT : WMB2 + EB3BASE4-G OR WMB5
JUNCTION BOX : EB3BASE4

-30~+55°C 🏠/🌿 IP66

BULLET

B2F28A10-5MP-M



5MP

LENS
2.8MM

IR
20M

LUX
0.04



OPTION

- ✓ MICROPHONE
- ✓ TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE

WALL SUPPORT : INCLUDED
JUNCTION BOX : B6BASE1

-30~+55°C 🏠/🌿 IP66

DOME

D2F28A10-5MP



5MP

LENS
2.8MM

IR
20M

LUX
0.04



OPTION

- ✓ IMPACT RESISTANT
- ✓ TVI-CVI-AHD-960H

POWER	12V 0.6A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE

WALL SUPPORT : D2BASE1-G + WMB6 OR WMB2
JUNCTION BOX : D2BASE1

-30~+55°C 🏠/🌿 IP66 / IK10



FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

EYEBALL

EB3VF2812A10-5MP
EB3VF2812A10-5MP-B



5MP

VARIFOCAL LENS
2.8-12MM

IR
30M

LUX
0.01



OPTION
✓ TVI-CVI-AHD-960H

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE OR BLACK

WALL SUPPORT : WMB5
JUNCTION BOX : EB3BASE2

-10~+50°C 🏠/🌳 IP66

TURRET

T3Z2812A10-5MP



5MP

MOTORIZED LENS
2.7-13.5MM

IR
35M

LUX
0.02



OPTION
✓ TVI-CVI-AHD-960H

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE

WALL SUPPORT : WMB5 + EB3BASE3-G
JUNCTION BOX : EB3BASE3

-30~+55°C 🏠/🌳 IP66

DOME

D6Z2812A10-5MP



5MP

MOTORIZED LENS
2.8-12MM

IR
35M

LUX
0.04



OPTION
✓ IMPACT RESISTANT
✓ TVI-CVI-AHD-960H

POWER	12V	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT : EB3BASE3-G + WMB6 OR WMB5
JUNCTION BOX : EB3BASE3

-30~+55°C 🏠/🌳 IP66 / IK10

BULLET

B7Z2812A10-5MP



5MP

MOTORIZED LENS
2.8-12MM

IR
35M

LUX
0.04



OPTION
✓ TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE

WALL SUPPORT : INCLUDED
JUNCTION BOX : EB3BASE4 OR B6BASE1

-30~+55°C 🏠/🌳 IP66

BULLET

B7ZD550A10-5MP



5MP

MOTORIZED LENS
5-50MM

IR
50M

LUX
0.05

TECHNO
TVI-CVI-AHD-960H

POWER	12/24V 0.7A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT : INCLUDED
JUNCTION BOX : B6BASE1 OR EB3BASE4

-30~+55°C 🏠/🌳 IP66



FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

COVERT

CVT371R
 † | 🚗



- OPTION
- ✓ MOTION DETECTION
 - ✓ TVI-CVI-AHD-960H

2MP

LENS
3.7MM

IR
10M

LUX
0.01



POWER	12V 0.6A	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT : INCLUDED
 JUNCTION BOX : NONE

🌡️ -10~+50°C 🏠/🌳

PTZ

PTZ20XTVI
 † | 🚗



- OPTION
- ✓ 20X OPTICAL ZOOM
 - ✓ TVI-CVI-AHD-960H
 - ✓ RS-485 COMMUNICATION

2MP

LENS
4.7-94MM

IR
120M

OPTICAL ZOOM
20X



POWER	12V 3A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT : INCLUDED
 JUNCTION BOX : NONE

🌡️ -40~+60°C 🏠/🌳 IP66

FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

DVR 4CH 4K
GSD-DVRFNC4K-04-N-AI

8MP

X4 CHANNEL

X1 HDD

IP CAM UP TO 6

NDA A Compliant

TECHNO TVI/CVI/AHD ANALOG/IP

ONVIF ENCODER

FPS UP TO 30 @ 4K SIGNAL TVI|AHD|CVI|CBVS

SPOT MONITOR OUT

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN



DVR 8CH 4K
GSD-DVRFNC4K-08-N

8MP

X8 CHANNELS

X1 HDD

IP CAM UP TO 12

NDA A Compliant

TECHNO TVI/CVI/AHD ANALOG/IP

ONVIF ENCODER

FPS UP TO 30 @ 4K SIGNAL TVI|AHD|CVI|CBVS

SPOT MONITOR OUT

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN



DVR 8CH 4K
GSD-DVRFNC4K-08-N-AI

8MP

X8 CHANNEL

X1 HDD

IP CAM UP TO 12

NDA A Compliant

TECHNO TVI/CVI/AHD ANALOG/IP

ONVIF ENCODER

FPS UP TO 30 @ 4K SIGNAL TVI|AHD|CVI|CBVS

SPOT MONITOR OUT

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN



DVR 16CH 5MP
GSD-DVRFNC5MP-16-N-AI

5MP

X16 CHANNELS

X2 HDD

IP CAM UP TO 20

NDA A Compliant

TECHNO TVI/CVI/AHD ANALOG/IP

ONVIF ENCODER

FPS UP TO 30 @ 5MP SIGNAL TVI|AHD|CVI|CBVS

SPOT MONITOR OUT

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN



DVR 16CH 4K
GSD-DVRFNC4K-16-N-AI

8MP

X16 CHANNEL

X2 HDD

IP CAM UP TO 24

NDA A Compliant

TECHNO TVI/CVI/AHD ANALOG/IP

ONVIF ENCODER

FPS UP TO 30 @ 4K SIGNAL TVI|AHD|CVI|CBVS

SPOT MONITOR OUT

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN



DVR 32CH 2K
GSD-DVRFNC5MP-32-N-AI

5MP

X32 CHANNEL

X4 HDD

IP CAM UP TO 4

NDA A Compliant

TECHNO TVI/CVI/AHD ANALOG/IP

ONVIF ENCODER

FPS UP TO 30 @ 5MP SIGNAL TVI|AHD|CVI|CBVS

SPOT MONITOR OUT

VIDEO OUT APP 2X HDMI 4K VGA 1080P SMART GUARDIAN



FIX LENS

MOTORIZED

SPECIALITY ANALOG

DVRS

HD ANALOG ACCESSORIES

MODEL

DISTANCE

FORMAT

DETAILS

PACKAGE

TECHNO



BALUNHD

BALUN OVER TWISTED PAIR

700+ FEET

PIGTAIL

2MP /
5MP / 8MP

PAIR

TVI / CVI /
AHD / ANALOG



GRDLOOPHD

GROUP LOOP ISOLATOR

UP TO 700

N/A

GROUND LOOP
ISOLATOR

UNIT

TVI / CVI /
AHD / ANALOG



BALUNHDA+

VIDEO / POWER / AUDIO OVER CAT5

400+

PIGTAIL

VIDEO POWER
AUDIO

PAIR

TVI / CVI /
AHD / ANALOG



ANALOG KIT

KIT4AIOXMP

1X GSD-DVRFNC4K-04-N
4X TEBF28AIO-XMP



XMP

X4 CHANNEL

X1 HDD

ALARM/AUDIO IN/OUT



KIT VARIATIONS

HARD DRIVE	NO HARD DRIVE	1TB	2TB	4TB
COLOUR	BLACK	WHITE		
RESOLUTION	5MP	8MP		

ANALOG KIT

KIT6AIOXMP

1X GSD-DVRFNC4K-08-N
6X TEBF28AIO-XMP



XMP

X8 CHANNEL

X1 HDD

ALARM/AUDIO IN/OUT



KIT VARIATIONS

HARD DRIVE	NO HARD DRIVE	1TB	2TB	4TB
COLOUR	BLACK	WHITE		
RESOLUTION	5MP	8MP		

ANALOG KIT

KIT12AIOXMP-AI

1X GSD-DVRFNC4K-16-N
12X TEBF28AIO-XMP



XMP

X16 CHANNEL

X2 HDD

ALARM/AUDIO IN/OUT



KIT VARIATIONS

HARD DRIVE	NO HARD DRIVE	4TB	8TB	16TB
COLOUR	BLACK	WHITE		
RESOLUTION	5MP	8MP		

ACTIVE DETERRENCE IP KIT

XKIT4IPXMP-AI

1X SWC5POE-MAN
4X XEBATVIPXMP28-AI-L-64G



XMP

X4 CHANNEL

LENS 2.8MM

IR 25M

OPTION

- ✓ MANAGED POE SWITCH
- ✓ DETERRENCE LIGHTING
- ✓ 64GB SD CARD INCLUDED
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN



KIT VARIATIONS

RESOLUTION	5MP	8MP
COLOUR	WHITE	BLACK

-30 ~ +55°C IP66

IP KIT

KIT4IPXMP-AI

1X GSD-NVRFNC4K-04-N
4X TEBFDAIPXMP28-AI-L



XMP

X4 CHANNEL

X1 HDD

ALARM/AUDIO IN/OUT



KIT VARIATIONS

HARD DRIVE	NO HARD DRIVE	1TB	2TB	4TB
COLOUR	BLACK	WHITE		
RESOLUTION	5MP	8MP		

IP KIT

KIT6IPXMP-AI

1X GSD-NVRFNC4K-08-N
6X TEBFDAIPXMP28-AI-L



XMP

X8 CHANNEL

X1 HDD

ALARM/AUDIO IN/OUT



KIT VARIATIONS

HARD DRIVE	NO HARD DRIVE	1TB	2TB	4TB
COLOUR	BLACK	WHITE		
RESOLUTION	5MP	8MP		

IP KIT

KIT12IPXMP-AI

1X GSD-NVRFNC4K-16-N
12X TEBFDAIPXMP28-AI-L



XMP

X16 CHANNEL

X2 HDD

ALARM/AUDIO IN/OUT



KIT VARIATIONS

HARD DRIVE	NO HARD DRIVE	4TB	8TB	16TB
COLOUR	BLACK	WHITE		
RESOLUTION	5MP	8MP		

ACTIVE DETERRENCE IP KIT

XKIT6IPXMP-AI

1X SWC9POE-MAN
6X XEBATVIPXMP28-AI-L-64G



XMP

X8 CHANNEL

LENS 2.8MM

IR 25M

OPTION

- ✓ MANAGED POE SWITCH
- ✓ DETERRENCE LIGHTING
- ✓ 64GB SD CARD INCLUDED
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN



KIT VARIATIONS

RESOLUTION	5MP	8MP
COLOUR	WHITE	BLACK

-30 ~ +55°C IP66



WIRELESS HaLow
B2F28WL-8MP



- 8MP
- LENS 2.8MM
- IR 15M
- LUX 0

NDAAs Compliant

OPTION

- ✓ PIR
- ✓ SPEAKER
- ✓ MICROPHONE

POE	4W	CODEC	H264/H265
WDR	N/A	COLOR	WHITE

-20~+50°C IP66



NVR
GSD-NVRWLFNC4K-08



- 8MP
- X8 CHANNEL
- X3 USB PORTS

NDAAs Compliant



POE	12V /2A	CODEC	H264/H265
ALARM	N/A	FORMAT	1U

VIDEO OUT APP HDMI 4K VGA 1080P SMART GUARDIAN

HaLow WIFI KIT
KITWLHL4K-08

1X GSD-NVRWLFNC4K-08
4X B2F28WL-8MP



- 8MP
- X8 CHANNEL
- LENS 2.8MM
- IR 15M

OPTION

- ✓ PIR
- ✓ SPEAKER
- ✓ MICROPHONE
- ✓ 700M WIFI TRANSMISSION DISTANCE

POE	4.5W	CODEC	H264/H265
WDR	N/A	COLOR	WHITE

-20~+50°C IP66



WIFI CAMERA
B2FWLIP4MP-AI



- 4MP
- LENS 2.8MM
- IR 10M
- LUX 0.005

NDAAs Compliant

OPTION

- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

POWER	12V	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

-35~+60°C IP66



NEW

WIRELESS ACCESSORIES

BATTERY
BAT-WLFNC



NDAAs Compliant

CABLE
PWR-WL5V-2A



- 15 FEET
- 5V-2 AMP

OPTION

- ✓ WIRE PROTECTOR

SOLAR PANEL
SOL-12V



NETWORK ACCESSORIES

MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

POE EXTENDER

PORT

POE

UPLINK

POWER OUT

FORMAT

POWER IN

BANDWIDTH



EXTPOE

1

YES

N/A

15.5W

802.3AF

POE

10/100 ONLY



EXT-2POE

2

YES

1

30W

802.3AF/AT

POE + 25W

10/100 ONLY

NEW



EXT-4POE

4

YES

1

25.5W

802.3AF

POE + 25W

10/100 ONLY

NEW



EXT-4POE++

4

YES

1

90W

802.3AF/B

POE ++ 90W

10/100/1000



INJPOE25W

1

YES

NO

25W

802.3AT

48V / 2.5A

10/100/1000



INJPOE90W

1

YES

NO

90W

802.3AT/B

48V / 2.5A

10/100/1000

NEW



IPCOAX-300M

1

YES

N/A

25W

802.3AF/AT

120V

10/100 ONLY



EXT-KVM

N/A

N/A

N/A

N/A

HDMI

5V

N/A



MON-TEST-7P

2

YES

YES

48V

7"

12V

N/A

USB-D-WIFI













USB DONGLE WIFI CONNECTION - COMPATIBLE WITH ALL OUR NVRs/DVRS













NETWORK ACCESSORIES

MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

MODEL	COLOR	DETAILS
 EB2BASE EB2BASE-B	BLACK/WHITE	JUNCTION BOX EB2FD TVI
 EB3BASE2 EB3BASE2-B	BLACK/WHITE	JUNCTION BOX EB3 TVI
 EB3BASE3 EB3BASE3-B	WHITE	JUNCTION BOX T3/D6
 EB3BASE3-G	WHITE	PENDANT T3/D6
 EB3BASE4 EB3BASE4-B	BLACK/WHITE	JUNCTION BOX T2/TEB
 EB3BASE4-G	WHITE	PENDANT T2/TEB
 FEBASE	WHITE	JUNCTION BOX FISHEYE
 FEBASE-G	WHITE	PENDANT FISHEYE
 TEBBASE1 TEBBASE1-B	BLACK/WHITE	JUNCTION BOX TEB
 TEBBASE1-G	WHITE	JUNCTION BOX TEB
 WMB8	WHITE	WALL MOUNT FIT DBASEX-P
 ECVR ECVR-B	BLACK/WHITE	CAMERA TOP COVER






MODEL	COLOR	DETAILS
 D2BASE1	WHITE	JUNCTION BOX FIT D2
 D2BASE1-G	WHITE	PENDANT FIT D2
 WMB2 WMB2-B	BLACK/WHITE	WALL MOUNT FIT TEB/D2
 WMB5 WMB5-B	BLACK/WHITE	WALL MOUNT FIT T2/T3/D6
 WMB6	WHITE	WALL MOUNT FIT PENDANT
 COMB6	WHITE	CORNER MOUNT BRACKET
 CMB6	WHITE	CEILING MOUNT BRACKET FIT - G
 PMB6	WHITE	POLE MOUNT BRACKET
 DBASEX	WHITE	DOUBLE JUNCTION BOX
 B6BASE1	WHITE	JUNCTION BOX FIT B2/B6/B7
 DBASEX-P	WHITE	PENDANT FORDBASEX
 CMB6-EXT CMB6-EXT-B	BLACK/WHITE	40-118" TELESCOPIC MOUNTING BRACKET




NETWORK ACCESSORIES

MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

NON-MANAGED POE SWITCH	PORT	POE	UPLINK	POWER OUT	FORMAT	POWER IN	BANDWIDTH
 SWC5POE-GIGA	4	YES	1 x RJ45	96W	802.3AF/AT	120V	10/100/1000
 SWC10POE-GIGA	8	YES	1 x RJ45	196W	802.3AT/AT	120V	10/100/1000
 SWC18POE-GIGA	16	YES	2 x RJ45	250W	802.3AF/AT	120V	10/100/1000
 SWC28POE-GIGA	24	YES	4 x RJ45	350W	802.3AF/AT	120V	10/100
 SWC32POE-GIGA	28	YES	4 x FIBER 4 x RJ45	450W	802.3AF/AT	120V	GIGA

MANAGED POE SWITCH	PORT	POE	UPLINK	POWER OUT	FORMAT	POWER IN	BANDWIDTH
 SWC5POE-MAN	4	YES	1	52W	802.3U/AZ	48V / 1.2 A	GIGA
 SWC9POE-MAN	8	YES	1	65W	802.3AH/AZ	48V / 1.5A	GIGA
 SWC18POE-MAN	16	YES	2	230W	802.3AB/AF/AT	52V/ 4.8 A	GIGA



NETWORK ACCESSORIES

MOUNTING ACCESSORIES

SWITCHES

SPEAKERS

SPEAKER
SPK-IP30W-POE



30W
POE

SIREN
105dB

8KHz
400Hz

230°
DISPERSION

OPTION

- ✓ SIP
- ✓ ONVIF COMPLIANT
- ✓ COMPATIBLE WITH VMS
- ✓ STARTUP IN LESS THAN 1S
- ✓ BUILT-IN CLASS-D AMPLIFIER
- ✓ UP TO 12 PRE-RECORDED BELLS
- ✓ UP TO 12 PRE-RECORDED MESSAGES

🌡️ -30~+60°C 🏠/🌳 IP66

Onvif®

MIC-AIO-12V



12V
2.5W

SIREN
88dB

IP66

MIC
10M

FEATURES

- ✓ AIO MIC SPEAKER
- ✓ STROBE DETERRENCE
- ✓ WORKS WITH IP CAMERAS
- ✓ NO EXTRA WIRE NEEDED
- ✓ TALK THROUGH MOBILE OR VMS

🌡️ -30~+55°C 🏠/🌳

SPEAKER
SPK-30W-12V



30W
12V

SIREN
105dB

8KHz
350Hz

MIC

OPTION

- ✓ POWERED BY CAMERA
- ✓ STARTUP IN LESS THAN 1S
- ✓ BUILT-IN MIC AND SD CARD SLOT
- ✓ TALK THROUGH MOBILE OR VMS
- ✓ WORKS WITH IP CAMERAS WITH RCA INPUT

🌡️ -30~+60°C 🏠/🌳 IP67



ESATA-4HDD

4HDD EXTERNAL HARD DRIVE CASING



MONITOR 22 INCH

LED 1080P HDMI



PWR-48V-3.0A-4PIN

POWER SUPPLY



PWR-12V-5A

POWER SUPPLY



PWR-48V-3.5A-4PIN

POWER SUPPLY



PWR-48V-2.5A-4PIN

POWER SUPPLY



SPLIT-4

PIGTAIL POWER SPLITTER 1-4



T-BLOCKS

POWER CONNECTOR



MIC-CAM-KIT

12V MICROPHONE / RCA



POE PVM MONITOR

MONPVM-10



2MP
CAMERA
RESOLUTION

LENS
3.3MM

1280X800
DISPLAY
RESOLUTION

10.1"
SCREEN SIZE

FEATURES

- ✓ 3W BUILT-IN SPEAKER
- ✓ LED DETERRENCE LIGHTS
- ✓ DC 12-24V OR POE POWER
- ✓ WIFI & RJ45 CONNECTION
- ✓ PRE-RECORDED MESSAGES
- ✓ FACE DETECTION AND PIR SENSOR
- ✓ IK7 TEMPERED GLASS PROTECTION

0 ~ +50°C

NEW



POE PVM MONITOR

MONPVM-22



2MP
CAMERA
RESOLUTION

LENS
3.3MM

1920X1080
DISPLAY
RESOLUTION

21.5"
SCREEN SIZE

FEATURES

- ✓ 2X 3W BUILT-IN SPEAKER
- ✓ LED DETERRENCE LIGHTS
- ✓ DC 12-24V OR POE POWER
- ✓ WIFI & RJ45 CONNECTION
- ✓ PRE-RECORDED MESSAGES
- ✓ FACE DETECTION AND PIR SENSOR
- ✓ IK7 TEMPERED GLASS PROTECTION

0 ~ +50°C

NEW



POE PVM MONITOR

MONPVM-32



2MP
CAMERA
RESOLUTION

LENS
3.3MM

1920X1080
DISPLAY
RESOLUTION

32"
SCREEN SIZE

FEATURES

- ✓ 2X 3W BUILT-IN SPEAKER
- ✓ LED DETERRENCE LIGHTS
- ✓ DC 12-24V OR POE POWER
- ✓ WIFI & RJ45 CONNECTION
- ✓ PRE-RECORDED MESSAGES
- ✓ FACE DETECTION AND PIR SENSOR
- ✓ IK7 TEMPERED GLASS PROTECTION

0 ~ +50°C


NEW

SPECIAL ORDER



BULLET

XB7ZATV2812IP5MP-AI
TOTAL VIEW



5MP
MOTORIZED LENS 2.8-12MM
IR 50M
LUX 0.002

OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN


POE	10.3W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: INCLUDED
JUNCTION BOX: B6BASE1

-35~+60°C IP67 **NEW**

BULLET

XB8ZATV2812IP8MP-AI
TOTAL VIEW



8MP
MOTORIZED LENS 2.8-12MM
IR 50M
LUX 0.007

OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN


POE	8.9W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: N/A
JUNCTION BOX: B6BASE1

-35~+60°C IP66 **NEW**

TURRET

XT3ZTV2812IP5MP-AI
TOTAL VIEW



5MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.002

OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN


POE	5.7W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX: EB3BASE3

-35~+60°C IP67 **NEW**

TURRET

XT3ZTV2812IP8MP-AI
TOTAL VIEW



8MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.007

OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

POE	6.9W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5
JUNCTION BOX: TEBBASE1

-35~+60°C IP66 **NEW**

DOME

XD6ZTV2812IP5MP-AI
TOTAL VIEW



5MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.002

OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

POE	6.3W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3 OR WMB5
JUNCTION BOX: EB3BASE3

-35~+60°C IP67 **NEW**

DOME

XD6ZTV2812IP8MP-AI
TOTAL VIEW



8MP
MOTORIZED LENS 2.8-12MM
IR 45M
LUX 0.007

OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN

POE	9.2W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3 OR WMB5
JUNCTION BOX: EB3BASE3

-35~+60°C IP66 **NEW**

QUAD

QUADZ2812IP32MP-AI
TOTAL VIEW



32MP
MOTORIZED LENS 4 X 2.8-12MM
IR 35M
LUX 0.006

OPTION

- ✓ VOICE PROMPTS
- ✓ 360° CUSTOM VIEW
- ✓ AUDIO-ALARM IN/OUT
- ✓ 60 W INJECTOR INCLUDED
- ✓ 35M COLOR VIEW DISTANCE


POE	43W	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: INCLUDED
JUNCTION BOX: N/A

-35~+60°C IP66 **NEW**

HDMI IP DOME

D3F28IP5MP



5MP
MOTORIZED LENS 2.8MM
IR 20M
LUX 0.05

OPTION

- ✓ HDMI OUTPUT
- ✓ AUDIO IN/OUT
- ✓ ALARM IN/OUT
- ✓ SD CARD UP TO 256GB

POE	9W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB2
JUNCTION BOX: D2BASE1

-30~+45°C IP66 **NEW**
SPECIAL ORDER

DOORBELL

DBW4MP-B



- 5MP
- LENS 2.8MM
- IR 7M
- LUX 0.005



OPTION

- ✓ MATRIX LED UP TO 30M
- ✓ WIDE ANGLE VIEW 160°
- ✓ HUMAN & PACKAGE DETECTION
- ✓ TWO-WAY COMMUNICATION



POE	DC 12-24V	CODEC	H264/H265
WDR	DIGITAL	COLOR	BLACK

WALL SUPPORT: N/A

JUNCTION BOX: N/A

-20~+55°C IP66

COMING SOON

THERMAL BULLET

B7T4IP5MP-AI
TOTAL VIEW



- 5MP
- LENS 3.2MM
- IR 40M
- LUX 0.001



OPTION

- ✓ TEMPERATURE MEASUREMENT
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN



POE	TBD	CODEC	H264/H265
WDR	120dB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5

JUNCTION BOX: EB3BASE3

-35~+60°C IP66

COMING SOON

DUAL LENS

XT3FPAN20IP8MP-AI
TOTAL VIEW



- 2x4MP
- LENS 2x2.8MM
- IR 30M
- LUX 0.002



OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN



POE	5.7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5

JUNCTION BOX: EB3BASE3

-35~+60°C IP67

COMING SOON

PANORAMIC BALL

XT2FPAN20IP8MP-AI
TOTAL VIEW



- 8MP
- LENS 2.0MM
- IR 30M
- LUX 0.002



OPTION

- ✓ VOICE PROMPTS
- ✓ DETERRENCE LIGHTING
- ✓ SEE IN COLOUR AT NIGHT
- ✓ BUILT-IN MICROPHONE, SPEAKER & SIREN



POE	TBD	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5

JUNCTION BOX: EB3BASE3

-35~+60°C IP67

COMING SOON

ACCESSORY COMPATIBILITY

	FLF	D2	D6	TEB	T2	T3	B2	B6	B7	B7F	PTZ	FE	EB3	EB2	XEB	CMB6	WMB6	DBASEX
EB2BASE														✓				
EB2BASE-B														✓				
EB3BASE2													✓					
EB3BASE2-B													✓					
EB3BASE3			✓			✓												
EB3BASE3-G			✓			✓										✓	✓	
EB3BASE4				✓	✓			✓	✓						✓			
EB3BASE4-B				✓	✓										✓			
EB3BASE4-G				✓	✓										✓	✓	✓	
FEBASE												✓						
FEBASE-G												✓				✓	✓	
TEBBASE1				✓						✓					✓			
TEBBASE1-B				✓											✓			
TEBBASE1-G				✓											✓	✓	✓	
D2BASE1		✓																
D2BASE1-G		✓														✓	✓	
WMB2		✓		✓								✓		✓	✓			
WMB2-B		✓		✓											✓			
WMB5			✓		✓	✓							✓					
B6BASE1							✓	✓	✓									
CMB6		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
PMB6		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
WMB8																		✓
DBASEX-P																		✓
CMB6-EXT / CMB6-EXT-B	✓	✓	✓	✓	✓	✓						✓	✓	✓	✓			
ECVR / ECVR-B	✓	✓	✓	✓	✓	✓						✓	✓	✓	✓			

EXAMPLE



NDA A COMPLIANT



ONVIF COMPLIANT



AI FEATURES

ALL OUR PRODUCTS ARE COMPLIANT



GSDGROUP.CA



T. 1 (866) 791-7020 | F. 1 (866) 936-0553



G-S-D-GROUP



G.S.D GROUP INC

2024 Global Surveillance Development, GSD Group and GSD are registered trademarks of Global Surveillance Development Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.

YOUR SEAL OF TRUST



GSDGROUP.CA